Indicate the character, color, thick-

ness of strate such as soil, clay, sand, gravel, shale, sandstone, etc. Show

depth at which water is found and height to which water rises in well.

Top of Ground (Elev. above sea level)

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

237 Montana Se		

This form to be prepared by driller, and three copies to be filed From To

hich the well is located, last copy	rk and Recorder in the county in	1 No. 20 No. 10 PM	-	THE REPORT OF THE PARTY OF THE
ease answer all questions. If not	14 14 14 14 14 14 14 14 14 14 14 14 14 1			
rm may be returned	ppincapie, so state, official vise file		1 20	
		10.20.0	1 3	E HUTOT LES PORTE DE LA COLONIA
vner Frank & Powell	For Administrator's Use			
dress 3309 Philip Sttreet	23 124 (2)	10.23		
Circus . A Company . Compa			1971	
Billings, Mt. 59101	June 78, 1973		200	
te well started5_ #71	11.090 2			
e well stated	See			
completed 5 = 8 = 71			<u> </u>	
e of well Driven			Tanky 1	
사람이 나는 아이들이 얼마나 있다.	"(Dug, driven, bored or drilled)			
ipment used Sledgeha	mor			
23.00	(Churn drill, rotary or other)			
ter Use: Domestic [Municip	al . Stock . Irrigation .			
Industrial Drainage	Other []* Garden/Lawn 1			
sscribe				
i: If used for irrigation, industr	ial, drainage or other. Explain, ition or other data (i.e. Lot, Block			م سر کے کے ایک کے ایک میں ایک
- Hamilton	C Sul III (Let 6	5.5	1.2 Sec. 1	
and Addition).				
IMATED ANNUAL WITHDRAWAL	10 6 000 gallons			
Sins of Size and From ; Drilled Weight (Feet) (F	CO CONTESTORATIONS			
Size of Size and Press Drilled Weight (Post) (P Role of Casing				ت د د د د د د د د د د د د د د د د د د د
4" 4" 0' 18	Kind Prom Ton (Feet)			
		-		
	Stalic water JevelADD			
	Static water level PP. A. ft. Pumping water level PP. 18 ft. at MA. gallons per minute.			
N N	Static water level APP. At ft. Pumping water level APP 14 ft. at MA gallons per minute, measured NA minutes after pumping			
	Static water levelApp. A fr. Pumping water levelApp 18 fr. at			
	Static water levelApp A ft. Pumping water levelApp IA ft. at MA gallons per minute, measuredN/A minutes after pumping began. Measured from ground level.			
	Static water levelApp. At fr. Pumping water levelApp 18 fr. at MA. gallons per minute, measuredNA minutes after pumping began *Measured from ground level. Well developed by NA for NA. hours.			
	Static water levelAPP			
	Static water level APP. As fr. Pumping water level APP LAS fr. at MA gallons per minute, measured MA minutes after pumping began. *Measured from ground level. Well developed by MA for MA hours. Power Slagtric Pump. 1 HP Remarks: (Gravel packing, cementing,			
- lot 6	Static water levelAPP			
- Lot 6 * 800 Sec	Static water level APP. As fr. Pumping water level APP LAS fr. at MA gallons per minute, measured MA minutes after pumping began. *Measured from ground level. Well developed by MA for MA hours. Power Slagtric Pump. 1 HP Remarks: (Gravel packing, cementing,			
- Lot 6 * 800 Sec	Static water level APP. As fr. Pumping water level APP LAS fr. at MA gallons per minute, measured MA minutes after pumping began. *Measured from ground level. Well developed by MA for MA hours. Power Slagtric Pump. 1 HP Remarks: (Gravel packing, cementing,			
- Lot 6 - Son 10 - SW0 Sec. MPN NR E	Static water levelAPP A ft. Pumping water levelAPP IA ft. at MA gallons per minute, measuredMA minutes after pumping began. Measured from ground level. Well developed by MA for MA hours. Power Sleatric Pump. 1 HP Remarks: (Gravel packing, cementing, packers, type of shutoff)			
- Lot 6 Bea 10 SW Sec. HPM S W DICATE LOCATION OF WELL AN	Static water levelAPP			
- Lot 6 - See 19 Sta Sec THPM S W DICATE LOCATION OF WELL AN CH SMALL SQUARE REPRESENTS	Static water levelAPP A fixPumping water levelAPD 18° fixat gallons per minute, measured from ground level. Well developed by MA for Manuers. Power Elastric Pump 1 HP Remarks: (Gravel packing, cementing, packers, type of shutoff)			
- Lot 6 Sec W	Static water levelAPP			

STATE OF MONTANA. | SS.

County of Yellowaking. | SS.

Chie instrument was [] s | ST iny office

The instrument was [] s | ST iny office

MEGALL N. ILLUNDT

Experity St. ILLUNDT

By July Spring Spring

A Secretary

Decorates

Decorates

Toping St. Illundt

Decorates

Toping St. Illundt

Decorates

Toping St. Illundt

Decorates

	HEGELVED
File No.	FEB 1.7 1972 T. R.
DUPLICATE	County 12 low Stone
	STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE
Top of Ground	ADDITION AND GRAND DATAFATED
(Elev. above sea level) Notice of Completion of Groundwater
	Appropriation by Means of Well
	(Under Chapter 237, Montana Session Laws, 1961)
	Owner Pryor Land Come Address 1070 Riverside Road
	Driller Charles Veed Address 1064 Bannon Road
	Date of Notice of Appropriation of Groundwater 5/29/71
	Date well started 5/20/71 Date Completed 5/20/21
	Type of well Priven Equipment Used walking bean
Oasoa	(duis, driven, bored or (Churn, drill, rotary or drilled) other)
Doc. No	
this 16th day of Johnany 4. D. 19.22, at 8:14	Industrial □ Drainaga □ Stock □
D'clock A.M.	El Indicate on the diagram the character and thickness of the different
	strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water.
	bearing strata and height to which water rises in the well.
	Size of Size and Proce To PERFORATIONS Drilled Weight of (Feet) (Feet)
	Hole Casing Rind From To Size (Feet) (Cest)
	4in. 4 in. 00-21 slots 21 20
Name of the second seco	Static Water Level for non-flowing Well? feet.
	Shut-in Pressure for Flowing Well
	Pumping Water Level 24 feet at 59 gal per minute.
	Discharge in gal. per min. of flowing well
w in the second	How Tested canne pump Length of Test 4 hrs
	Remarks: (Gravel packing, cementing, packers, type of shutoff, loca-
	tion of place of use of groundwater if not at well, and any other similar pertinent information, including number of
See 2000 Par 1	acres irrigated, if used for irrigation).
NEWW Sec 298 T.L R Indicate location of well	and
place of use, if possible. small square represents 10 a 7/S R. 26 E.,	Each A.J. H.
TIS P. 26E., Show exact depth of bottom.	NW14 Sec. 10
	· · · · · · · · · · · · · · · · · · ·
	Driller's Liceuse Number
Marie Carlos	Driller's Liceuse Number

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county is which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

Sam W. Mitchell Building Helena, Montana 59601

As the Administrator of the Groundwater Code for the State of Montana, please take note of the following special instructions, in order to properly protect your groundwater right.

Special Instructions:

Please provide, as indicated in red on the enclosed form, the correct location of

the well by township, range and section. The location given is confusing.

Thank you.

		ADMINIST	AYOR OF ST	CATE ENG	INDER		
Top of Ground	N	latina of C	omplet	ion of	Groun	dwate	r
(Elev. above sea level)	Appropri	ation	v Mea	ns of	Well	
		(Under Char	ter 237, M	ontana Ses	sion Laws,	1961)	*
	Owner P		Солда	Address	1070 Ri	verside	
	Driller (Charles Vee	<u>d</u>	Address	1064 <i>l</i>	Canon	Road
	Date of l	Notice of Approp	riation of C	roundwate:	5/20/	7.1	
	Date wel	l started 5/20	/71	Date Con	npleted	5/.20/.21	
	Type of dug, d	well	: 	Equipme (Churn, other)	nt Useddrill, rotary	oclking. or	.bean
Doc. No. 700 878 Filed for record this 16th day of Dhuang		Jse: Domestic [Industrial [icipal 🏻 inage 🗖	Other [•	igation £
14. D. 19. 12. A. 18.14 Misicell Acids	strata n	dicate on the di net with in drilli- pth at which wa strata and heigh	ng, such as	untered, th	ickness and	character	different sand, etc. of water-
:RECZIVEŮ.	١.	l Size and	From	To		RFORATION	
WAS IS JALY	Size of Drilled Hole	Weight of Casing	(Feet)	(Peet)	Kind Size	From (Feet)	To (Feet)
THE REPORT OF THE PARTY OF THE							
Isologia de la companya de la compan							
	4in.	4 in. 12 el	00-21		slots	21-	20
· =		tatic Water Leve	for non fl	owing Well	7		feet.
N		tatic Water Leve Shut-in Pressure	for Flowin	g Well			
	F	Pumping Water L	evel.14	fe	et at5)gal.	per minute.
	,	Discharge in gal.	per min. of	flowing w	rell		
W	- F	How Tested	nn.pump	Len	gth of Test	4 hrs]
		Remarks: (Grav	el packing,	cementing	, packers,	type of sl	hutoff, loca ell. and an
		other o	similar pe	ertinent m	tormation,	Mercane	number o
S		\'	irrigaten, 1	L usea 202 .	· · · · · · · · · · · · · · · · · · ·		
NEN-1/1 Sec 298T11 Indicate location of we	II and						**********
place of use, if possible small square represents 1	Each	Sec. 10					
Show exact depth of botton					••••		
				Drill	ler's Licens	e Number	11
				Dril	ler's Signal	ture	::[2]
his form to be prepared by drille	and three	conies to be file	d by the o			and the second	Recorder
his form to be prepared by drille	located.	Copies of the					ig Latin
The second secon	1.00	The second secon		*** *		the transfer of the contract o	#4.77 L

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

er eden my	· · · · · · · · · · · · · · · · · · ·	
Gy File l		T /: R 266
DUP	LICATE	County YELLOWSTONE
	ADMINISTRAT	OR OF GROUNDWATER CODE DEC 26 1963
	Declaration of (Under Chapter 2	Vested Groundwater RightSTATE ENGINEER 237, Montana Session Laws, 1961)
(]	(Name of Appropriator)	, of 3302 STONE ST. BILLINGS (Address) (Town) State of MONTANA to the Montana laws in effect prior to January 1, 1962, as fol-
	N 2.	The beneficial use on which the claim is based
		IRRIGATION
		Date or approximate date of earliest beneficial use; and how continuous the use has been JUNE 1961 — EVERY YEAR FROM APRIL THRU NOVEMBER
W		The amount of groundwater claimed (in miner's inches or gallons per minute) 30 GAL PER MINUTE
		If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof USED TO IRRIGATE LAWA
	E 1/4 Sec. /O. T.I.S. R.26 E	GARDEN + LAND SCAPING 0.15 ACRE OWNER BY JAMES A. + DOROTHY B. RANGITSCH
an	d place of use, if possible. 6.	The means of withdrawing such water from the ground and the
ac A	res. LOT 4 BLOCK Z IAMILTON SUBDIVISION	location of each well or other means of withdrawal ELECTRIC CENTRIFUCAL PUMP
7.	The date of commencement and complet withdrawal of groundwater	ion of the construction of the well, wells, or other works for
8.	The depth of water table 9 FE	ET
9.	other works for the withdrawal of ground STEEL SASING IGE	water HAND DUE 30 IN DIAMETER
1. •		
10.		ithdrawn each year 200,000 GAL
11.	LOAM. IO FEET SAND S	he drilling of each well if available G. F.E.T. SANDY GRAVEL
12.	ing reference to book and page of any co	re as may be useful in carrying out the policy of this act, includ- ounty record NONE
ilêrahê Xiriy.		

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is

Signature of Owner Carry Class

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

County of Yellowstone, This instrument was filed in my office this 72.5° o'clock M.

Edinon S. Redding,
County Clerk & Recorder

By James Deputy

	rn: No. '	8						COJIM	Yello		Rest
		-	(∵ाग ∧		utte, l	Montana	•		ECE.	IV 2 1962	וען -
	1		Omer	1				ST	ATE EI	VGIN	EFR_
-	0			Rosey I)eme	011 0	b	P.4	dress 11		z 892
حبرير	/	+	- Drivie	P & 1	011	Drill:	ing Ce		Complete		
}	'		Date 3	tarted_		I 60 ₈				3a	uly 12
<u></u>			Tocati	on: Geo	·	•	26 B		c.		
m		-33				Eou p		ed	Ý		
ìу	rpe of we	(Dup,	dpiveri	or drill	ed)			(Cho	die iki	rotary	other)
Va	ter use	Domest		Munic			~t.ck		Irrigat	ion	
			X	Drain			Other	X		,	
	4	Industri	X		_		_				
Ca	ising	ft	. tc		_ft.	^π ype	Is	4 I pak	Steel (<u> </u>
Se	asine		. t.		_Pt.	Type			7: 26		
Ce	asing.	I.	. to		ft.	туре	17	5/8			
			eened.		 +.	f+		Ft.	t	o ft.	
								•-	···		
Τ,	ype of s	creen cr	b "fora	tions	Danie	an Cad	IA I	inh t	comple	ete V	ater W
q+	tatic wa	ter lave	il, for n	n-flori	ng vell	1 :					feet.
. 71	hut_in n	recoure	for flo	uing vei	•	between	/50	in. o	inch	PERIE	gu.
,,	1100-11 1	1 633410					·			(date)
٦.	ur oina u	eter lev	rol		fe	et at_	*	g	al. per	்n	
1*1	n o në a	id cet. Tex	821			J. 3	30	rallom			
H	ou teste										
٦.	ength of	Pump test	,	· .							
		(^rave	S hre L packing t-off)	, cemen	t'ne, p	eckers	, type	of shut	-cff, de	pth of	•
	* 0						N. 111 1.77	. :	** 14" or "	-	· · · · · · · · · · · · · · · · · · ·
<u>-</u>										50 A	


File No... ORIGINAL STATE OF MONTANA ALMINISTRATOR OF GROUNDWATER COLC OFFICE OF STATE ENGINEER DECLARATION of VESTED GROUNDWATER RIGHTS (Under Chepter 237, Montana Session Laws, Rollings, Albert 3032 Wash St. Billings, Albert, March 1989, Albert State of Mext A MAN and State of State 2. The beneficial use on which the claim is based Howsehold- +- IRRIGATION ---Date or approximate date of earliest beneficial use; and how continuous the use has been-1953 + CENTINEOUS LY TO CATE description of the lands to which water has been applied and name of the owner thereof 4500.

The means of withdrawing such water from the angular and the location of each wall or other SWALL - Sec of T Ration ground and the location of each well or other means of withdrawaland place of use, if possible. Sach small square represents 10 acres. 7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater— 4.783-----8. The depth of water table- - # -----O To far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater
- DRIVEN - 2/1/1 - Depth - 30 10. The estimated amount of groundwater withdrawn each year 365,000 775 11. The log of formations encountered in the drilling of each well if available TOP AVAITABLE 12. Juch other information of a similar nature as may be useful in carrying out the college of this act, including reference to book and page of any county record-

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located

Pleese answer all questions. If not applicable, so state, otherwise the form will

Original to the County Clerk & Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of mines and Geology, and Quadruplicate for the appropriator



DRILLER'S LOG

3 GW 2 Revised 1969

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE MONTANA WATER RESOURCES BOARD CE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL DIRECTOR Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well. NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

Chapter 237 Montana Session Lav	- Flori		ro		
be prepared by driller, and	in the county in	(Feet) (F	eet)	TUP_SOLL	
			2 ()	CAND 4 GIN UIL	
owner with the County Clerk and he well is located, last copy to be	le so state, otherwise the	1-4	7	SAND GLANCE	
CUESTIONS, INTO OPPORT	Sie' en eien.	12-1-		The second secon	
ay be reidificu.		1		A CONTROL OF THE PROPERTY OF T	
And In demonst	For Administrator's Use.				
acadous port	OD-TEC		تإسية		
The sound of the state of the	le 93788/				
5 1	01. 28:1973			The second secon	
16 mis Monday	June 28; 1973	1 Sau 1 Sau	77.7	The state of the s	
1972 le	W 1 8 15 22 122		94.37.25	anger og er gjerne fra på en er på en er på en er på en er på er	
well started	Section 1				
completed Type 17			363	Colored Annual Colored	
completed -					
of well ALIUEN D	ig, driven, bored or drilled)				
ment used	A			Control Contro	
ment used	Churn drill, rotary or other)				
r. Use: Domestic Municipal	☐ Stock ☐ Irrigation ☐			CONTRACTOR OF THE SAME OF THE	
	Garden/Lawn 🗷	* <u>******</u>			
industrial 🔲 Drainage 🗍 🗢	other □* Garden/Lawn 🔼	Company of the	17.50		
	No. of the second	77.			П
scribe	drainage or other. Explain,		تتدل		\Box
scribe : It used for Irrigation, Industrial, state number of acres and location	n or other data (i.e. Lot, Block	- الم	1		
state number of acres and location and Addition). BIRS 3.0 A	17 39 State 5-15	L1:	4		
and Addition)	And the second s	100	100 100	S - 22 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 -	
IMATED ANNUAL WITHDRAWAL	400,000	==			
	PERFORATIONS		10. X = 2.75		
Size of Size and From To Drilled Weight (Feet) (Feet))	To (eat)	200		
The state of the s	Size				
3" 3" 3" 2"	SLITS 17'. 20 &	2'	12 .22		
,	3.50				
	1 1				
1 1	1 1 1	<u> </u>			
		-			
N	un mar level 19	ft.*			
N	Static water level				
N N	Pumping water level	minute,			
N N	Pumping water level	minute,			
	atgallons per measured £42 minutes after	minute, pumping			
	atgallons per measured £.2. minutes after began.	minute,			
	at	minute,pumping			
	pumping water level at gallons per measured 6.2 minutes after began. *Measured from ground level well developed by hours.	minute, pumping			
	pumping water level at gallons per measured £6. minutes after began. *Measured from ground level well developed by for hours. Power £6. Grayel packing 6	minute, pumping			
	pumping water level at gallons per measured £6. minutes after began. *Measured from ground level well developed by for hours. Power £6. Grayel packing 6	minute, pumping			
	pumping water level at gallons per measured 6.2 minutes after began. *Measured from ground level well developed by hours.	minute, pumping			
W	pumping water level at gallons per measured £6. minutes after began. *Measured from ground level well developed by for hours. Power £6. Grayel packing 6	minute, pumping			
W	pumping water level at gallons per measured £6. minutes after began. *Measured from ground level well developed by for hours. Power £6. Grayel packing 6	minute, pumping			
M.W. A.W. Sec. 10. T. 100R. 26a. E	Pumping water level at	minute, pumping			
M.W. M.W. Sec. 10 T. Sec. 20 T. Sec. 10	Pumping water level at	minute, pumping			
M.W. M.W. Sec. 10 T. Sec. 20 T. Sec. 10	Pumping water level at	minute, pumping			
M.W. A.W. Sec. 10. T. 100R. 26a. E	Pumping water level at	minute, pumping			

DRILLER'S LOG

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER

ADMINISTRATOR OF GROUNDWATER CODE MONTANA WATER RESOURCES BOARD	i Tako uga s	ness o	te the character, color, thick- if strata such as soil, clay, sand,	
NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL Developed after January 1, 1962		depth	, shale, sandstone, etc. Show at which water is found and to which water rises in well.	
(Under Chapter 237 Montana Session Laws, 1961, as amended)	Top of	Ground	(Elev. above sea level)	
This form to be prepared by driller, and three copies to be filed	From (Feet)	To (Feet)		-
by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.	0_	2	TOP SOIL	_
Please answer all questions. If not applicable, so state, otherwise the form may be returned.	LL	17	SAND STARK	-
tom may be retained.			- 10 m. 2 m.	_
Owner For Administrator's Use				-
Address File . 93788/	3 4			_
2.14 Mada - June 28, 19.73				-
Date well started 1/612 11 15 GW 1 8 15 1/21				
completed Mala				
Type of well (Oug, driven, bored or drilled)				
Equipment used (Churn drill, rotary or other)				_
				_
Water Use: Domestic Municipal Stock Irrigation				_
Industrial Drainage Other * Garden/Lawn				_
*Describe				_
USE: If used for irrigation, industrial, drainage or other. Explain,	-	-		-
state number of acres and location or other data (i.e. Lot, Block				
2 22 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		 		
and Addition). BIKS 39 For 37, State Santy LL				
and Addition). BIKS 3. Tot 32. State State ESTIMATED ANNUAL WITHDRAWAL 400, 200				
ESTIMATED ANNUAL WITHDRAWAL 400,000				
ESTIMATED ANNUAL WITHDRAWAL 400, 000. Size of Size and Prom To Petilog Weight (Feet) (Feet) PERFORATIONS				
ESTIMATED ANNUAL WITHDRAWAL 400, QQQ				
ESTIMATED ANNUAL WITHDRAWAL 400, QQQ. Size of Drilled Weight (Feet) (Feet) FERFORATIONS TO FERFORATIONS Kind From To Feet) Size (Feet) (Feet)				
ESTIMATED ANNUAL WITHDRAWAL 400, QQQ				
ESTIMATED ANNUAL WITHDRAWAL 400, QQQ				
ESTIMATED ANNUAL WITHDRAWAL 400, QQQ				
ESTIMATED ANNUAL WITHDRAWAL 400, 0002 Size of Drilled Weight 10 (Feet) (Feet) To PERFORATIONS Size (Feet) To Size (Feet) (Feet) Size (Feet) (Feet) 3'' 3'' 5' 60' 0' 22' 51.75 17'-30 22'				
ESTIMATED ANNUAL WITHDRAWAL 400 000 Street Steel Weight From (Feet) To (Feet) Kind From (Feet) To (Feet) To (Feet) 3'' 3'' 3'' 5483 0' 22' 54.75 17'.22 22'				
ESTIMATED ANNUAL WITHDRAWAL Size of Deleted Weight of Casing 3' 3' 3' 5' 5' Static water level Pumping water level at gallons per minute				
ESTIMATED ANNUAL WITHDRAWAL Size of Casing To (Feet) To (Feet) To (Feet) Size of Casing To (Feet)				
Size of Drilled Size and O' Size of Greet) Size of Drilled Size of Cashing o				
Street ANNUAL WITHDRAWAL Street Stre				
Static water level Pumping water level To gallons per minutes after pumping began. **Measured from ground level.** Well developed by for hours, Power Access Pump				
Street ANNUAL WITHDRAWAL Street Street Welght Hole of Casing Street Str				
Street ANNUAL WITHDRAWAL Street Street Weight Hole of Casing Street Str				
Stream ANNUAL WITHDRAWAL Stream of Casing N Static water level Pumping water tevel At gallons per minutes after pumping began. Well developed by for hours. Power Acc Pump Remarks: (Gravel packing, cementing packers, type of shutoff)				
Street ANNUAL WITHDRAWAL Street Street Weight Hole of Casing Street Str				
Strelled Site and Site and Site and Site of Casing				- 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Stee and Sue of Casing Sue (Feet) (Feet) Sue Sue (Feet) Sue (Fee				
Strelled Site and Site and Site and Site of Casing				

LICENSE NO......


Show exact depth of bottom

STATE OF MONTANA S. County of Yellow tone.
This instrument was wal in my office this JUN 28 1973

AL STATE OF MONTANA S. S. County Office the Manual County Clerk & Resorder By Deputy

	GAZETTE 12965 3.63
	T / S R 266
File No. STATE WATER CONSERVATION BOARD	County Yel Lowstone
DUPLICATE 10N 4 1986 STATE OF MONTANA	
ADMINISTRATOR OF GROUNDWATER CODE	
OFFICE OF STATE ENGINEER	
C P L. L. I Greundwoter Right	le ·
Declaration of Vesled Groundwater Right (Under Chapter 21, Montana Session Laws, 1965)	
	Q.11.
1 Elton R. Stevenson, of 723 N. 25 St.	Dillings
(Name of Appropriator)	na
County of the Montana laws in effect prior to	O January 1, 1000, 40
have appropriated groundwater according to the investment of the last on which the class of the investment of the invest	im is based Domestie
3. Date or approximate date of earlies tinuous the use has been A. A.C.	st beneficial use; and how con-
tinuous the use has been f= Kall	resent Owner
Use Confin 401	Since
W 4. The amount of groundwater claime per minute 5 Wells 101	d (in miner's inches or gallons
per minute) 5 Wells-107	CUL-11-15 (45-40)
#1-2gal \#2-11.6 \#3-11.6	1. I aminutes of the lands
5. If used for irrigation, give the acre to which water has been applied	and name of the owner thereof
541 1 194714	
SE VSWUSec 10 T/5 Rolle Duner : ELton R. ST	to vensor
Indicate point of appropriation and	ator from the ground and the lo-
square represents 10 acres. cation of each well or other mean	O n All Toroted
square represents 10 acres. Bury Pumpsql Hand, on Two least Tracts ar	a have Loyal description.
	· · · · · · · · · · · · · · · · · · ·
7. The date of commencement and completion of the construction of the well,	wells, or other works for with
drawal of groundwater.	
1 - De x 1 St Avetage	Doth
8. The depth of water table Approx. 6 St Average	1 offentions of any other
9. So far as it may be available, the type, size and depth of each well or the gyorks for the withdrawal of groundwater the works for the withdrawal of groundwater the cost of the cost of the cost of the withdrawal of groundwater the cost of the cost o	eneral specifications full
works for the withdrawal of groundwater 1 21 ft. Rap	
#3-2 Pro Casing Well 23 17 400	
45 - 6" Pipe Casing Well 21 ft deep	- + / m
10. The estimated amount of groundwater withdrawn each year 2,60	2,000 - Faile
10. The estimated amount of groundstands of each well if available.	Vot avoitable
11. The log of formations encountered in the distingtion	
12. Such other information of a similar nature as may be useful in carrying of	ut the policy of this act, including
12. Such other information of a similar nature as may voice known reference to book and page of any county record voice.	2
(Bioleane 1	and all
Signature of Owner	How Menesson
	ee 30, 1965
Three copies to be filed by the owner with the County Clerk and Recorder of th	e county in which the well is located.
Please answer all questions. If not applicable, so state, otherwise the form wil	l be returned.

Please answer all questions. If not applicable, or and Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.



Form No. 18	
8-60 T. 18 R. 26 C.	
T. /S R. &G C, County yullow to B. MONTANA BUREAU OF MINES AND GEOLOGY	RVI
Butte, Montana	1950 1
Water Well Log	INEL
Owner One Staw Address 200 MM	le pr
Driller Jung Mc Cucken Address 414 Sp. of & 1	d
X Date Started Quy 20, 1954 Date Completed Quy 21,	
Location: Sec. 10 T. JS R. 26 8 4 sec.	:
6 , 4	
Type of well dunn Equipment used dull (Ghurn, drill, rotary, et	her)
Water use: Domestic Municipal Stock Irrigation	
Industrial Drainage Other	
Casing: din ft. to doff ft. Type Size	
Casing: ft. to ft. Type Size	
Casing:ft. toft. TypeSize	
Perforated or screened: Ft. to ft. Ft. to ft.	
Type of screen or perforations	
Static water level, for non-flowing well:	
Shut-in pressure, for flowing well:lb./sq. in. on:(dute)	
Pumping water level 30 feet at 5 gal. per min.	-
그 그 그 그는 그 집에 없는 것이 그리고 있었다. 사람이 유럽 맛있는 데 [7] 그 것이 그 그 사람이	
How tested:	
Length of test	
Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)	f.
	1 1
	E.
(over)	

(over)

Log of Well

Depth, From	feet To	Description of Material Drilled
		gunto type soil and rock.
	-	
-		
· .	i definación	
	The formula of the control of the co	
	The second secon	
	The second secon	
	Links I to wh	
		

7 4.		T/5 R76. E 10
Tile No.		County Jell
OUPLICATE		County
ADMI	STATE OF MONTANA NISTRATOR OF GROUNDWATER (CODEDECETY
	OFFICE OF STATE ENGINEER	DEC 30 1963
Declara (Under	ntion of Vested Groundwater r Chapter 237, Montana Session Laws,	Rights TE ENGINEER
N. T.	12 July 30326	
1. (Name of Approprie	(Address	hen tana (Town)
County of have appropriated groundwater lows:	State of	ffect prior to January 1, 1962, as fol-
N	2. The beneficial use on which	the claim is based Nouse
	3. Date or approximate date of tinuous the use has been	of earliest scheficial use; and how con-
W	, every day	t
	4. The amount of groundwater per minute)	er claimed (in miner's inches or gallons 1. galo, per
s	a 70 maj familiantido efe	ve the acreage and description of the been applied and name of the owner.
5E 1/2 Sec / T/5 R76		
Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.	6. The means of withdrawin	
7. The date of commencement withdrawal of groundwater	and completion of the construction o	of the well, wells, or other works for
Withing of Security	5 hoot	
8. The depth of water table $\stackrel{\sim}{\sim}$	- J face	
So far as it may be available, other works for the withdraw	the type, size and depth, of each we val of groundwater 2	ll or the general specifications of any casing, depth
18/9001		<u> </u>
		1766
10. The estimated amount of gr	oundwater withdrawn each year3	6500 gaz.
11. The log of formations enco	untered in the drilling of each well in	f available and
gravel + "	rome Tocks	
12. Such other information of a ing reference to book and p	similar nature as may be useful in ca age of any county record	rrying out the policy of this act, includ-
		wner
	Signature of O	Date
Three copies to be filed by the ow	oner with the County Clerk and Recor	rder of the county in which the well is
located.	ot applicable, so state, otherwise the i	form will be returned.
Please answer an questions: If the	Recorder: duplicate to the State Eng	gineer; Triplicate to the School of Mines
and Quadruplicate for the Appro	priator.	16247

Tellewsters Vater Welling Vater Welling Vater Welling Vater Welling Vater Welling Vater Started Date Started Tocation: Sec. 10 T. 18 Sec. 10 S					
Vater Wellion Vater Wellion Vater Wellion Vater Wellion Vater State Lane Date Started Tune 24 50 Date Completed Tule 24 50 Date Complete Co	Form No. '8 8-60			CCUNTY_	25 East
Owner The Table Completed The State Complete The State C		Comana Turesu OF 1 I Dutte, M	nge arp agoto ontana	" DECEI	VED
Owner	SE A SUL OF ME			STATE ENG	INEER
Driller Reil Dril Conditions Date Completed Interest Incompleted Interest Incompleted Interest Incompleted Interest Incompleted Interest Incompleted Interest Incompleted Interest Industrial Industrial Industrial Industrial Industrial Interest Interest Industrial Interest I		Oner Tayne Tree	to Carel S	Todd Tiresspe T K	ests Lame
Type of well Compared of drilled Compared Compar	Ö	Driller P& KOLL	Drig Co	ddress p o B	ox 592
Type of well (Dur, drived of drilled) Water use Demestic 'Municipa Ttok Irrigation Industrial Drainage Other Gasing ft. to ft. Type 3ize Casing ft. to ft. Type 5ize Casing ft. to ft. Type 5ize Perforated or screened Ft. to ft. Ft. to ft. Type of screen or perforations Here Staric water level, for non-flowing well: feet at 20 gallers per vin. How tested: Pump Length of test Reserve: (Travel packing cenenting, packers, type of shut-off, depth of shut-off) Casing dreve thru glacial drift to signatory water				Date Compreted	wly 24 59
Industrial Drainage Other Gasing ft. to ft. Type 3ize Casing ft. to ft. Type 5ize Casing ft. to ft. Type 5ize Perforated or screened ft. to ft. Ft. to ft. Type of screen or perforations feet. Staric water level, for non-flowing well: feet. Thut-in pressure for flowing well: feet at 20 gallege! per sin. How tested: Pump Tength of test Remarks: (Cravel packing cementing, packers, type of shut-off, depth of shut-off) Casing drave thru glacial drift to zigratory water	Ligaria I	Jocation: Sec. To	- 2 8 - 26 2	; ec. <u>w w</u>	
Industrial Drainage Other Casing ft. tr. ft. Type 3ize Casing ft	Type of well (Dur, c	iriven or drilled)	Eou∕pment use	Churn dri li rota	ry other)
Casing ft. to ft. Type 3ize Casing ft. to ft. Type 3ize Casing ft. to ft. Type 3ize Casing ft. to ft. Type 3ize Perforated or screened ft. ft. Type 7ize Perforated or screened ft. ft. Ft. to ft. Type of screen or perforations Here Static water level, for non-flowing well: feet. Thut-in pressure for flowing well: feet at feet at 20 galled per sin. How tested: Pump Tength of test Recarks: (Cravel packing cementing, packers, type of shut-off, depth of shut-off) Casing irove thru glacial drift to signatory water				Irrigation	X
Casing ft. to ft. to ft. Type fize	Industria	Drainage	Other_		
Casing ft. toft. Type	Casingft.	transft.	туре	31 ze	erika Lista di Tanan
Perforated or screened: Ft	Casing. Celler ft.	tFt,	T(DIS) for		
Static vater level, for non-flowing well: Thut-in pressure for flowing well: Purping water level are feet at 20 gallegal. per min. How tested: Pump Length of test Remarks: (Cravel packing cementing, packers, type of shut-off, depth of shut-off) Casing drave thru glacial drift to signatory water					
Static water level, for non-flowing well: Thut-in pressure for flowing well: Purping water level are feet at 20 gallers per vin. How tested: Purp Length of test Remarks: (Cravel packing cementing, packers, type of shut-off, depth of shut-off) Casing drave thru glacial drift to migratory water	Perforated or scre	ened Fttu	ft	Ftto ft	*• <u></u>
Thut-in pressure for flowing welllb. /so. in. on:	" - -				· · · · · · · · · · · · · · · · · · ·
Purping water level are feet at 20 gallons per rin. How tested: Pump Length of test Remarks: (Cravel packing cementing, packers, type of shut-off, depth of shut-off) Casing drave thru glasial drift to migratory water	***				feet.
How tested:	Thut-in pressure	for flowing well.	lb. /so.	in. on: (da	te)
Remarks: (Gravel packing cementing, packers, type of shut-off, depth of shut-off) Casing drave thru glasial drift to migratory water	Purping water leve		t at 20 g	allens). per ein.	
Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off) Casing drave thru glacial drift to migratory water	How tested:	Pump			
Casing drove thru glacial drift to migratory water	Tenoth of test	SES WOCK			
	Relarks: (Gravel shut	packing cementing, pa	eckers, type o	of shut-off, depth	of
	strata.	Casing drove thru g	lacial drif	t to migratory	water

		T. 1 R. 26 County Zuilswatre
ile No.		T R
UPLICATE		County Julians Con
		OF MONTANA
	ADMINISTRATOR	OF GROUNDWATER CODE
e de la companya de l		STATE ENGINEER
	Declaration of Ve	ested Groundwater Rights JAN 2 1961
	(Under Chapter 237	, Montana Session Laws, 1961) SIAIE ENGINEER
See 1		SINIL CONTACT
1. WILLIAM	ROBERT COLLEY	JR, of 7023 JACKSON BILLINGS (Address) (Town)
(Nan County of	e of Appropriatory	State of Montana laws in effect prior to January 1, 1962, as fol-
have appropriat	ed groundwater according to	the Montana laws in effect prof containing
lows: R	16E	e beneficial use on which the claim is based en machine
		orneria land to protection de la constantina della constantina del
1-1-1-1		ate or approximate date of earliest beneficial use; and how con-
1-1-1-1		nuous the use has been May 1,953 days been med Dania, Since the parties
		Lorsealied Jacobs
w // /		he amount of groundwater glaimed (in miner's inches or gallons
	p	er minute) of gallons per minute
$X \cup X$		f used for irrigation, give the acreage and description of the
	5. I	f used for irrigation, give the acreage and described and name of the owner ands to which water has been applied and name of the owner
S		hereof of here Afgacies and have for these against the series and the series and the series are the series and the series are the series and the series are
1/4 Sec.	10 TAS R. 26E "	mes yen
Indicate point C	of appropriation	The means of withdrawing such water from the ground and the
and place of u Each small squa		ocation of each well or other means of withdrawal
acres.		Cleitin Kumf
	•	
7. The date of	commencement and completic	on of the construction of the well, wells, or other works for
withdrawal o	i groundwater	<i>y</i>
	C KAROUT	the street well or the general specifications of any
8. The depth of	water table	te and depth of each well or the general specifications of any water / "4" grave fam. and galue
9. So far as it i	nay be available, the type, siz	water 114 " grave from and factor
- line		
	a denotor T	vithdrawn each year 150000 galland lb
The Art of		y a strong of each well if available
11. The log of	formations encountered in t	he drilling of each well if available and farmer
		y _ £ this set includ.
12. Such other	information of a similar natu ce to book and page of any c	()()
ing to		
		21 10-0
		Signature of Owner Than L. Southern
		Date Dec 21/96
Mhuan annion to 1	he filed by the owner with the	e County Clerk and Recorder of the county in which the well i
lagated .	A STANDARD TO THE A STANDARD AS A STANDARD A	
Please answer a	ll questions. If not applicable	e, so state, otherwise the form will be returned.
Oviginal to the	County Clerk and Recorder;	duplicate to the State Engineer; Triplicate to the School of Mine
and Quadruplice	ate for the Appropriator.	182

STATE OF MONTANA.

County of Yellowstone.

This instrument was filed in my office this day 185 21 1953 10.

St. 10 - 21 c. disch.

County Clerk & Recorder

nice active la martina de la milita del

1. 77 F. 124. E.
File No
ODICINAL County fellowston
STATE OF MONTANA
ALMINISTRATOR OF CHOUNDWATER CODE
OFFICE OF STATE ENGINEER DECEIVED
In and
DECLARATION OF VESTED GROUNDWATER RIGHTS IN JAN 2 1964
(Under Chapter 237, Montana Session Laws, 1961) STATE ENUINEER
SIME LING.
St. ala 10 1011/ Pa 2052 Moundoth Bullings
1 Hairld W. pet loung D. Willam, of 30 52 Remardo Br Billings (Name of Appropriator) (Address) (Town)
(Name of Appropriator)
County of Fellowstono State of Montage in effect prior to
have appropriated groundwater according to the Montanta III
January 1, 1962, as follows:
Pango 24 = 2. The beneficial use on which the claim is based
3. Date or approximate date of earliest beneficial
ngo, and how continuous the use has been
7.7.8 Digare 194-7-
4. The amount of groundwater claimed (in miner's
inches or gallons per minute- 5222
in management men anamatikan anamatan mentangan mentangan mentangan mentangan mentangan mentangan mentangan men
5. If used for irrigation, give the acreage and
description of the lands to which water has been applied and name of the owner thereof
4. 그 것이 있는 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그
Indicate point of appropriation fantible to Florence 18. William
Indicate point of appropriation
and place of use, if possible. Bach small square represents 6. The means of withdrawing such water from the ground and the location of each well or other
Bach small square represents 10 acres. The means of withdrawing such white white in the means of withdrawing such white white in the means of withdrawing such white white it will be means of withdrawing such white white it will be means of withdrawing such white white it will be means of withdrawing such white it will be means of white whit will be means of white white white white white white white whi
. 이 10 - 10 - 10 - 10 - 10 - 10 - 10 - 10
wells.
7. The date of commencement and completion of the construction of the well, wells,
or other works for withdrawal of groundwater
12.7
8. The depth of water table-
9. So far as it may be available, the type, size and depth of each well or the gen-
and and disastions of any object works for one was an
primen pipe Lizo Jaine 3 5 - in.
10. The estimated amount of groundwater withdrawn each year of our ft min.
10. The estimated amount of groundwater withdrawn each years and are labele
11. The log of formations encountered in the difference of the log of formations encountered in the difference of the log
net aviitable
And the second s
12. Such other information of a similar nature as may be useful in carrying out the
12. Such other information of a similar nature as may be such as a similar nature as may be similar nature as may be such as a similar nature as may be such
Signature of Owner June 14 11 Monement Wilson Date 3 34/4-3
Date
Three copies to be filed by the owner with the County Clerk and Recorder of the
county in which the well is located. Please answer all questions. If not applicable, so state, otherwise the form will
Please answer all questions. In not applicable, so state, contents and total

Original to the County Clerk & Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of mines and Geology, and Guadruplicate for the appropriator

STATE CONTAINA, County of Yellowstone, 1944.

This instrument was filed in my office this 3 day of 10 2 mt 2 5 o'clock M I Edward Redling, County Clay, & Redling, Deputy

#200

EN 2 SE4 of See 10 T / Se R 26E County Yellow Stane

DECEIVE MONTANA BUREAU OF MINES AND GEOLOGY Butte, Montana

STATE ENGINEER

Owner	Fored W. Wo	19/17 Address	Box 163-Billin
Driller	F 2-ed W. W/2-	19ht Address	Box 163-B1/17195
1	•		ompleted May -195
Location	: Sec. 10 T. 150,	RZ6 E 1/4 sec. S	N'SE
Type of well D > 1 2 2	n, bored, or drilled)	pment used G , or (Ch	ve. 1 /2 /22 + urn drill, rotary, other)
Water use: Domestic X	Municipal	Stock	Irrigation
Industrial	Drainage	Other:	
Casing:ft. to	ft. Type	1./x27/20/ Size	14"
Casing:ft. to		Size	
Casing:tt. to	ft. Type	Size	
Perforated or Screened: Ft			
Type of screen or perforations	Weld out	SLITS	
Static Water level, for non-flowing	g well:		&feet.
Shut-in pressure, for flowing well:		lb./sq. in. on:	(date)
Pumping water level	feet at	5	
How tested: P 6 771 P	Specifica	tions	
Length of test		·	
Remarks: (Gravel packing, ceme	enting, packers, type of sh		• .
,*** <u>*********************************</u>			
2 32 2 32			**************************************
		***************************************	***************************************
÷	(over)		

Log of Well

Note to the contract of the co

Depth	foot	TOB OF WEIL	
From	To	Description of Material Drilled	
0	3	top soft	
3	21	Gon vet	Mark Des Erati
بندتن		! 	
	3.		
	i		
			•
	<u> </u>		
	: : :		
		LANCE OF THE STATE	
		1	



T / 50 R 26E

County Yello ustone

STATE ENGINEER TONTANA BUREAU OF MINES AND GEOLOGY Butte, Montana

		•	
Owner F2-ed V	Y, Wo-14ht	Address Box	163-B1/11275
	1. V/2-19ht	Bay 6	Relieves
Driller.22e(/(/.)	/VV.5~1.9.A.F	AddressX.Z	S-P1111.0.4.3
Date Started	11-1958	Date Completed.	APT11-193
10	T./ So R 26 E	-v - 55 NS	s EL
Location: Sec	T.J	/4 Sec	
Type of well 27/2 (21) (Dug, driven, bored, or drill	Equipment used	Welded	Point
(Dug, driven, bores, or drum	-	, 	جان المسلم الأراب المسلم ا
Water use: Domestic Munic	ipal Stoc	k Irrig	ration X
Industrial Drain			and the second s
The state of the			
Casing:ft. tof	t. Type (-2./2/.21/.	2-ed size 3 "	
Casing:ft. tof	!t. Type	Size	
Casing: ft. to f	ft. Type	Size	, , , , , , <u> </u>
Perforated or Screened: Ft t	• -		
Type of screen or perforations $\frac{\sqrt{\sqrt{e}}}{\sqrt{d}}$	COT SL17	<u></u>	*****************************
Static Water level, for non-flowing well:	.*************************************	***************************************	feet.
Shut-in pressure, for flowing well:	lb./sg. in. or	1:	·
		(date)
Pumping water level 15	feet at	gal. per r	nin
How tested: Punp SPacil	FICATIONS		
Length of test			
	* *	-	
Remarks: (Gravel packing, cementing, packet	ers, type of shut-off, dep	th of shut-off)	•
And the second s		***************************************	
	The property of the second		

	(over)	ing the second s	

		Log of Well	
Depth From	ro To	Description of Material Drilled	
0	3	top soit	
3	2/	G-Drolled France	
	14 3 15 7		
1			
			Author Company
			and a second
	1		
: 	1		
	1.85		
	<u> </u>		
	 		


5-N-3F + of die 10 DECEIVE MONTANA BUREAU OF MINES AND GEOLOGY Butte, Montana

Owner Fred VV, W7-19ht	Address 8 0 x 163 -PIIII
Driller Fred YV, Wz-19ht	Address Box 163 - Billings
Date Started M 3 y - 1951	Date Completed MAY - 1951
Location: Sec. / Q T. 1 - lo. R. 2.6. = y	4 sec. 3 2 N'2 SEZ
Type of well D> / ve > Equipment used (Dug, driven, bored, or drilled)	Gravel Point
	Irrigation
Casing:ft. toft. Type G-a/v/n/2-	ed size 1 ½ "
Casing:ft. toft. Type	Size
Casing:ft. toft. Type	Size
Perforated or Screened: Ft	
Type of screen or perforations. We Id Cot SLits	_
Static Water level, for non-flowing well:	
Shut-in pressure, for flowing well:lb./sq. in. on:	(date)
Pumping water level	gai. per min
How tested: Pump Specifications	
Length of test.	
Remarks: (Gravel packing, cementing, packers, type of shut-off, depth	of shut-off)
Acceptance of the second of th	
	en e

- The same street and the same street	ENGRALITADO EN ENVENTAR		The same of the sa
Special Control			
	Çerik di	Log of Well	
Dept		Description of Material Drilled	
From	То		<u> </u>
0	3	top Soit	
3	2/	GravoL	
		6 - 9 2 6 L	
	134.55		
	1		
	<u> </u>	<u> </u>	Administration of the Control of the
	<u> </u>		
			10 mm
<u> </u>	 		
	1		
*	-		and the state of t
	 		
·	1		
	¥******		
	掉 1::::		
1			
. <u> </u>			
	.1	1	· ·







MONTAÑA BURBAŬ OF MINES AND GEOLOGY Butte, Montana

	1					
	Owner F7	ed. W. W.	7-14/7+	Address	Boy 163 -	B1/12
	- Fo-	ed W. W/2	-1ah+	Addross	Box 163-6	3///219
				-		
	Date Started.	0 071 E -	1955	Date Com	pleted	71 E -1
	Togetton: Sec	. /o T./ 2	SO R26 E 16	sec. S. Z.	N & SE	4
* * * * * * * * * * * * * * * * * *	•	*				
ype of well 2	(Dug, driven, bor	ed or drilled)	.Equipment used	グラスマ Chur	n drill, rotary, other	(71. †
	5-2			وخنوا		IVI
Vater use: Domestic	· [X]	Municipal	Stock		Irrigation	
Industria	, П	Drainage	Other:			
age of the second			e Galwinis	! = ! -	1 ± ")	2
asing:	ft, to	ft. Typ	e OFFALLY LELLS	Bize	4) 1	1
asing:	ft. to	ft. Typ	e Gal~121/2 e	.d Size./	7	vells
Casing:	ft, to	ft. Tyr)e	Size		
=						
		4- 44	TC+		to #t	
			Ft			
Type of screen or perf	orations	eld Cut			***************************************	••••
Type of screen or perfetatic Water level, for	orations	eld C v 7 n: 15'	<u> </u>	***************************************		1
Type of screen or performance of screen or performance of static Water level, for shut-in pressure, for s	orations	eld C v 7 n: 15'	S L 17 S		(date)	1
Type of screen or perfectatic Water level, for shut-in pressure, for s	orations	eld C v 7 n: 15'	S L 17 S		(date)	1
Type of screen or performance water level, for shut-in pressure, for security water level	orations	e/d C v 7	1b./sq. in. on:	2 €	(date)	
Type of screen or performance of static Water level, for shut-in pressure, for seven performance of the state	orations	e/d C v 7 11: 25' 5' feet at 5 Pe c i F i	1b/sq, in. on:	22 g	(date)	
Type of screen or performance of static Water level, for in the state of the state	orations	e/d C v 7	1b/sq, in. on:	22 g	(date)	
Type of screen or performance itatic Water level, for shut-in pressure, for sumping water level How tested:	orations. We non-flowing we flowing well:	eld C v 7 11: 15' feet at S Pe c i F i	SLITS		(date)	
Type of screen or performance itatic Water level, for shut-in pressure, for sumping water level How tested:	orations. We non-flowing we flowing well:	eld C v 7 11: 15' feet at S Pe c i F i	SLITS		(date)	
Type of screen or performance of screen or performance of shut-in pressure, for sumpling water level How tested:	orations. We non-flowing we flowing well:	eld C v 7 11: 15' feet at S Pe c i F i	SLITS		(date)	
Type of screen or performance Static Water level, for shut-in pressure, for second control of test	orations. We non-flowing we flowing well:	eld C v 7 11: 15' feet at S Pe c i F i	SLITS		(date)	
Type of screen or performance of screen or performance of shut-in pressure, for sumpling water level How tested:	orations. We non-flowing we flowing well:	eld C v 7 11: 15' feet at S Pe c i F i	SLITS		(date)	
Type of screen or performance Static Water level, for shut-in pressure, for second control of test	orations. We non-flowing we flowing well:	eld C v 7 11: 15' feet at S Pe c i F i	SLITS		(date)	
Periorated of Screen Type of screen or performance Static Water level, for Shut-in pressure, for in Pumping water level. How tested: Length of test. Remarks: (Gravel periorate)	orations. We non-flowing we flowing well:	eld C v 7 11: 15' feet at S Pe c i F i	SLITS		(date)	

Log of Well

Deptl	ı, feet	
From	To	Description of Material Drilled
ð	3	top 3011
3	2-1	GraveL
, și z		
-	pro	
37,74		
		A services
 	,	
er in the state of	!	
<u> </u>	1	
	<u> </u>	

county Velloustone Folder#4 County Type of Form File No. Remarks Name of Appropriator 937763 Ewals, Edward H C.VIZ 958508 GWZ Fox, Henry 938146 (-, VK) 2 Heinanen, Wayne 938145 GWZ Heinanen, Wayne

1957 Well Log Jellison, Albert M 93716 GWZ Locke, Vernon E 937162 GMA Locke, Vernon Shepovalof, Alex סורוכר GWY 721709 G1114 The povalot, Alex 937766 GWZ Stengen, Earl 937767 SIM 3 Stenger, Pearl Thompson, Charles 937765 GWZ Esther 769363 GWY Necker Joseph 847915 SWZ Pierce, Roy 938282 CW2 Jeliner, Henry Paschke Lewis 769261 GMY Pippin Donald H 938198 GMZ 1957 Well Log Rahn A.A.D. Ir. Roe Gertrude 15 GW2 798481 Bortolino, Richard & Dann 905626 GWZ Bertolino Richard Dunna 93545 GMA 890525 Henderson Richard <u>Gwa</u> 938574 GWZ Knotel, G.H. 938575 B Knobel, Gary H GWZ 938576 Knobel Gary H GWZ 721513 **GMY** Willer, Jet. GULL 721517 Millor, J. H 721514 Millor, J. H 881602 MOrse, Barney 862309 Guia Morton Lillian 1957 Well Log Marton Lillian 1957 Well Lay Morton, Lillian 657 Well 1:09 Raha AAD JC 769337 Hogan Benjamin 785810 Mont, State Hiway Comm GWA 18 C,WZ 785809 Comm Montana Highman 911885 Sowway Art J GWZ Zeiler, Ray + Botty (SUI Z. -861965 1457 Mell Log Restad Lee 1957 Well Long Sourney Act 1457 Well Log GW2 911224 Stearns, S.W 911223 EWZ Stearns, S.W 5/01/GT Halverson, Lec GN14

818000

Home Center Inc

	Yellouistone			
Sec.	Name of Appropriator	Type of Form	County File No.	Remarks
el an el de la		GMA	818007	
	Home Center Inc.	GMA	807469	
	Home Center Inc	1457 Well Coa		
	1/3/01-110/	GM3	194122	
20	Martin, Gen, TVIDLa	GM3	851469	
20	Johnson Fleanor	Guly	686332	
50	White, Albort ? & Amarda	GWY	686333	
	White, Albert P. & Amanda	Guz	114581	
120		Guia	937068	
laa.	Klunt, Wilma. A.	7		
33	Paganini, Valortine They	1957 Wellow		
23	7	1957 WELLEY		
	CONGE PORT AND TO	GWY	721615	
28	The latest the state of the sta	EMB	938112	
37	Allen, Paul Fi		179862	
70	Billings Livestock Comm	1951 Well Log		
1137	Hakert Raymond 3.	1957 Well Log		
34		1957 Mell Lea		
34	LANCED B	1957 Mell 100	5	
3.7	HIII DB	Marsen =	2	
34	14:11 0 B	GWY	769335	
34	HIII Marie H.	GUIY	769336	
34	Hilly Marie H.	CM3	937163	
134	Cocke Vernon E.	EMB	951160	
34	1 (3) (3)	GWY	72.1554	
3	Meye, George		w	#1 A1
3	Robinson, John Rit Lote	195) Well 1	Oa.	
34	Robinson, John Rightela	1957/2611		
्रीठ	Sharon, E. R. 1 Gladys		र्ग ।	
* -		Guiz	938208	
11	318:31 37 7			
* 30	Campbell, Clarence A. T	GWA	938259	
-		GMY	618419	
-	Hober Reinhold A.T			A CONTRACT OF STREET
-	" Meder Keinnbla Martha	M. GUIL	681513	
1	A GERALD BREWETER	6w4	769361	A CONTROL OF THE CONT
	A THOMAS SCHURPTS	a w4	769355	
. 4	2 harred cook	- GWD	SCHOK	
	b Fhore Garde	Gwa.	93054	
*		s and	18500	The second second with the second sec
1				
作十			and country	
-	and the same of th			

The control of the co

PECEIVED COUNTY GELLOWS TOLKE 15 -JUN 28 1973 STATE PUBLISHING COMPANY MO TANA DEPARTMENT CINDINGS the character; color, thickk-Ounces And Constituents strate such as soil, day, sand,
gravel; shale, sandstone, etc. Showdepth at which water is found and STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE MONTANA WATER RESOURCES BOARD NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL height to which water rises in well. Developed after January 1, 1962 (Under Chapter 237 Montana Session Laws, 1961, as amended) Top of Ground This form to be prepared by driller, and three copies to be filed by the **owner** with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller. To (Feet) From (Feet) Please answer all questions. If not applicable, so state, otherwise the form may be returned. Owner Fdward H Ewals For Administrator's Use Address 20.12 BZ/BNAPAVe File 937768 B. Hings, Went Quou 27,1973 Date well started MAY 1953 GW 1 18:01 P.III completed Luly 1953 Type of well Dug 4 DRLVSA Equipment used 5houre . Buske Water Use: Domestic ☐ Municipal ☐ Stock ☐ Irrigation 📈 Industrial 🗀 Drainage 🔲 Other 📑 Garden/Lawn 🕍 USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition). Hence But ESTIMATED ANNUAL WITHDRAWAL 35 90 (MI) N From (Feet) PERFORATIONS measuredminutes after pumping began. *Measured from ground level. Well developed by forhours. Power..../. / ... Pump.

packers, type of shutoff) sw.Ich 1/W1/4 1/E1/4 Sec. 11 P R E W INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. EACH SMALL SQUARE REPRESENTS 40 ACRES. Driller's Signature Driller's Address 2002 Show exact depth of bottom LIČENSE NO

937762

STATE OF MONTANA SS.

County-of Yellowstone, SS.

This instruction was tiled in my office this JUN-27 1973 19 M.

MERRILLI T. KLUNDT Gounty Clark & Reconser

By Deputy

ltom

30



STATE OF MONTANA

ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER

APPROPRIATION BY MEANS OF WELL
RESOURCES ARD CONDENSITY WHICH water rises in well.

Developed after January 1, 1962					een levell	Contraction of the contraction o
(Under Chapter 237 Montana Session Laws, 1961, as amended)	1	Ground		(Elev. abo)	e sea level)	
his form to be prepared by driller, and three copies to be filed	From (Feet)	(Feet)		10-18	11	
y the owner with the county copy to be retained by driller.	0	1-X-	1	<u></u>	77	
lease answer all questions. If not applicable, so state, otherwise the orm may be returned.				 		
Owner Carry To For Administrator's Use	PT -	1.1	-			
Address 6083 Durder- File 937508					74-	
8//ins Mont 6-29-73			-+		1-1-	
GW1 3:36 Paris				<u> </u>	+-+-	
					Ţ-}-	
completed 6-7-60						
Type of well					$+\pm$	5
Vumm					1-1-	
			++		<u> </u>	
Water Use: Dollies to A			11			
industrial □ Drainage □ Other □ * Garden/Lawn □		201	止	Koch	1	
Describe		202	\prod	20		
USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block						
and Addition).			+			
and the state of t						
ESTIMATED ANNUAL WITHDRAWAL JOSEPH JAN. Stre of Stre and From Jo PERFORATIONS			 			
Drilled Weight (Feet)						- 3
10 3" 0 00 Size (cest) (cest)	o' <u> </u>		1			
1 2" 21 0 20 12 10 21)					
			Ţ.,			
O open						
Static water level	f. *					
measuredminutes after pu	mping _		-4-			
began. *Measured from ground level.			٦.			
Well developed by						
Pump	HP		-			
Remarks: (Gravel packing, cem	ening,_					
\$						
S F V2SW V4 Sec // T 1 S N R26 E S N / 177 W						
S NI PAT W			士			
THE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE	LE.					
EACH SMALL SQUARE REPRESENTS TO MORES	ŀ					
Oriller's Signature		+				
Driller's Address	1				act dept	

STATE O	MONTANA	- 1 sc.
This Make	of Yellowstone when the life were was	A Tim many mindles
9 2	Uni 20 1913	
. NE	arin a î	
Com.	CBB.	mondez Leginy:
	8 2m	Deputy.

JUN 2 9-1973

depth at which water is found and

height to which water rises in well.

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODED
MONTANA WATER RESOURCES BOARD RESOURCES AND COLOR WITHER SECTION AS SOIL clay, sand, gravel, shale, sandstone, etc. Show

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the **owner** with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner M	AY NE	HEIN	AHEM	Ent	Admi	nistrato	2. na	
Address 2	096 NA	ILL, A	VE					-
	IN65,	the second of the second		7 min 2 m		78 17	1. T. T. A	
4.17	started			5 6		44,	· (1))
com		1950		GVV 1		11 _f		
one	יי. מים ה		المستوالين المستوالين				**********	****

Type of well	DRIVER	v.	
Equipment used		(1) ug, uriven, bo	red of drilled)

the state of the s		
the second of the control of the second of t	(Churn drill, rotan	
and the second s		
Water Use: Domestic		

					Other				

USE: If used for irrigation, industrial, drainage or other. Exp state number of acres and location or other data (i.e. to), i	lain,
USE: If used for irrigation, industrial, drainage or other. Exp	lain,
USE: If used for irrigation, industrial, drainage or other. Exp	lain,
USE: It used for irrigation, industrial, drainage or other. Exp	lain,
and it area in all an author, modernity, diguitage of others, type	iaiii,
State Dimper of acres and incation or other data (i.e. lot s	Inch
and a delica and location of differ foll of	IULK
"我们看了一个女子,我们就是我们是我们的一点看看,我们就没有一起的人们,我们就没有一个女子,我们就是这个人的人。"	
300 - 10 - 12 20 20 20 20 20 20 20 20 20 20 20 20 20	
一种,不是一种的工作的,但是有数据的,我们就是一种,我们就是一种的,我们就是一个人的,我们就是一个人的,不是一个人的,就是一个人的。""我们就是一个人的,我们就	
* The Fig. 1 → Publish Continues the Gradual States and the Continues to the Continues of	
AND MODITION	
and Addition).	

	ST1/																				

Size of Drilled	Size and Weight	From (Feet)		To (Feet)	W	P	ERFORA	TIONS	2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Hole	of Casing	0	19	7'-2"	Kin	d.	From		To
	WILL		¥. 4-			e in the second	ur ex		(rea)
	CHING	i dada shaet sa				2			
		and a							
	Sama (1997) Orași								
	. É. j		: T						
1	11. 14.40	20, 27	. 1	A. 1. 39			1.00		

	- 1 h 15		N	The second of		
						Static water level 5 ft. Pumping water level 5 ft. at / 5
*					E	measured A.Qminutes after pumping began. *Measured from ground level.
3						Well developed by
						Power Hi Remarks: (Gravel packing, cementing
L	aek:	ا ڻين ج	s ho	T 36		packers, type of shutoff)

	Tomping trains to to a summing
	at
1	measured LOminutes after pumping
- 1 .	began.
	*Measured from ground level.
- 1	Well developed by
	for 3hours.
,	Power Pump Hi
1	Remarks: (Gravel packing, cementing
36	packers, type of shutoff)
) j	

\$	W				*************
IDICATE LOCATIO			USE,	IF	POSSIBLE

Driller's Signature	
Driller's Address	
***************************************	LICENSE NO

19'-2"	Show	exact	depth	of	bottom

Top of	Ground	(Ellevabove sea level)
From (Feet)	To (Feet)	
	782.22	And the second s
in the second	75. T.S.	
0.00		
ingitia. Na akan		
	27124	
a de la companya de l		
1200 (E-2002)	Consumer Con	
TABLE	Taracon.	Marie Company
	3.3.8	
State of		
G.J.	alessa en	
10 A 5 A	and Arthur	
isony i		
	<u> </u>	
ಿ ಭೌಗಿಕ್ಕು. ರಾಜಕ್ಕಾ	នាទី១១៤១ ១៩១៦ភូនៃ	
	7	
	76.34	
arrio.	200	
	Q=32±	
	5 6 936 35 55 7	
- 7.3		
		20, 10 may 1, 20 mg 1
		· · · · · · · · · · · · · · · · · · ·

Indicate the character, color, thick-ness of strate such as soil, clay, sand,

STATE OF MONTANA STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE MONTANA WATER RESOURCES BOARD FICE OF COMPLETION OF GPOLINIONATER

NOTICE OF COMPLETION OF GROUNDWATER gravel, shale, sandstone, etc. Show depth at which water is found and APPROPRIATION BY MEANS OF WELL height to which water rises in well. Developed after January 1, 1962

nder Chapter 237 Montana Session Laws, 1961, as amended)			(Elev. above t	sea level)
form to be prepared by driller, and three copies to be filed to ewner with the County Clerk and Recorder in the county in the well is located, last copy to be retained by driller.	(Feet)	To (Feet)		
e answer all questions. If not applicable, so state, otherwise the may be returned.				
A CONTROL OF THE PROPERTY OF T				
For Administrator's Use		 		
ess 2096 NACI, AVI File 938/146				
1111N65, MONT Tune 28 1973		1		
well started				
completed/950				
		L		
of well DRIVEN (Dug, driven, bored or drilled)		<u> </u>		
pment used CHURN DRILL (Churn deill, rotar) or other)				
er Use: Domestic 🔀 Municipal 🗌 Stock 🗍 Irrigation 🗍		-		
Industrial ☐ Drainage ☐ Other ☐* Garden/Lawn 🗷				
scribe				
: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block				
and Addition).				
MATED ANNUAL WITHDRAWAL 30,000 giller				
	=	-		
Drilled Weight (Feet) (Feet) (Feet) To				
4" 3" 5" 5" 5" 5" 5" 5" 5"				
CASING				
	-			
N Static water level 5	.ft.*			
Pumping water level \$at	.11."			
ar Z	ping			
began. **Measured from ground level.		71.29 T.T		
Well developed by	Z = ==================================			11. 20.
forhours.	HP			
Remarks: (Gravel packing, cemer	iting,			
packers, type of shutotr)	-			
- 16				
7 7 5 NR 3 6 E				
7. 7. 5 N. R. S. L. E. W.		- 1		a procession and a second contract
T. T. S. N. R. L. E. W. W. W. S. W. W. W. S. W. W. W. W. S. W.				
T. J. S. N. R. L. E. W.				
7. 7.5 N. R. S. E. W.			2 " Show exact	

938146 STATE OF TONTANA

County of TONTANA

State name of the State of the St



County Vist

DRILLER'S LOG

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESJURCES BOARD

ADMINISTRATOR OF GROUNDWATER CODE MONTANA WATER RESJURCES BOARD NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL GROUNDWATER APPROPRIAT

	ssion Laws, 1961, as amended)	1	Ground	(Elev. above sen level)
his form to be prepared by drill y the owner with the County Cle which the well is located, last cop	rk and Recorder in the county in	From (Feet)	To (Feet)	
lease answer all questions. If not				
orm may be returned.				
wner WAYNE HEINAS	CEMP	2 000212	Section Section	The second secon
	TOTACHIMISTRAIDI S OSE	The second secon	77 M 20 1	
ddress 2096 NAU A	V.E., File . 438745			
BILLINGS, MONT	Quoi 28 1973		100 mm 1	
ate well started	GW1 345 PAIL			
	GW 1 SO THE PRINT		2522 P	Control of the Contro
completed			9992 300 (1997)	
ype of well DVG				
guipment used DACK H	(Dug, driven, bored or drilled)	3.3	2 3 S	
quipment used U 17 UK //	(Churn drill, rotary or other)			
/ater Use: Domestic ☐ Municij	oal 🗍 Stock 🔀 Irrigation 🔀			And the second s
Industrial ☐ Drainage ☐	Other □* Garden/Lawn 🛛	A 1997		
	Curden Family	1 2 2 5 5 5 T		
Describe				
SE: If used for irrigation, indust	rial, drainage or other. Explain, ation or other data (i.e. Lot, Block		100000	
	$a_{ij} = CLA_i(iY - SVC_i)$			
			200	
STIMATED ANNUAL WITHDRAWAL	800,000 динот		200.02.5	
Size of Size and From 1	To PERFORATIONS		er Ver	AND CONTRACTOR OF A STATE OF THE STATE OF TH
Hole of Casing	Kind From To			
	// Size (Feet) (Feet)	id interaction	1000	
Cusein			200 SAN ST	
			575, FA	The second of th
		1.783		
				And the second s
Ansana Millerina - Nazar Aria Aria Kanganan menenjar				The second secon
	Static water level	*		
	Pumping water levelft	*		
	atgallons per minut measuredminutes after pumpir	e,	-	
	began.			
/ E	*Measured from groundalevel.			
	for hours. Power FN6 Pump 9 +	IP		
	Remarks: (Gravel packing, cementing	9.		
16R-506 8-20156	packers, type of shutoff)		 	
1/4				
T. J. N.R. 36 E				
5 · · · · · · · · · · · · · · · · · · ·				
NDICATE LOCATION OF WELL AT ACH SMALL SQUARE REPRESENTS				
HOLL GOLOARE REPRESENTS	TO HORLO,			
			 	
Priller's Signature				

DRILLER'S LOG

Indicate the character, color, thickness of strata such as soil, clay, sand,

gravel, shale, sandstone, etc. Show

depth at which water is found and

height to which water rises in well.

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

	ession Laws, 1961, as amended)	Top	of Grou		(Elev. above	sea level)	==
ler Chapter 237 Montana S				La sa			
. AND MARK WITH THE COUNTY !!	ller, and three copies to be file erk and Recorder in the county	ed Fro	n To (Feet)				
the well is located, last co	by to be relatified by difficit						
answer all questions. If not	applicable, so state, otherwise th	ne.		1			
may be returned.				<u> </u>			
LINE YOUR BELLEY	W. Al	- -					
WAYNE HELMA		_ -		_			
ss 2096 NAIL	VE File 938145			_+			
LL/NGS, MONT	- June 28, 1973						
19:1	GW 1 3 43 p.n.						
well started/	GW 1						
completed/ 958		. .					-
The State of the Control of the Cont							
of well DVG	(Dug. driven, bored or drilled)						
ment used DACK	(Churn drill, rotary or other)						
	,						
Use: Domestic 🗌 Mun	icipal 🗌 Stock 🔀 Irrigation	ш				<u></u>	
Industrial C Prainage	☐ Other ☐* Garden/Lawn	12		-+			
moustrial [] Dramage							
ribe							_
15 word for infantion ind	ustrial, drainage or other. Expl	lain,					[
state number of acres and	location of owner and the roll of	TOUR !					4
5 4	CRES CLARY-5	08 1					\dashv
and Addition)							
and Additiony.	5.1516.2						ᅱ
AATED ANNILLAL WITHDRAW	الدو 000 ر008 الم	10/15					4
MATED ANNUAL WITHDRAW	IAL 800,000 3 AL	10715					
MATED ANNUAL WITHDRAW	/AL 800,000 3115 To (Feet) PERFORATIONS						
MATED ANNUAL WITHDRAW te of Size and From Weight (Feet)	AL 800,000 315 To PERFORATIONS Kind From	To (Feet)					
MATED ANNUAL WITHDRAW te of Size and Weight folid of Casing (TO PERFORATIONS Kind From	10/15					
MATED ANNUAL WITHDRAW te of Size and Weight folic of Casing (AL 800,000 315 To PERFORATIONS Kind From	10/15					
MATED ANNUAL WITHDRAW te of Size and Weight tole of Casing (AL 800,000 315 To PERFORATIONS Kind From	10/15					
MATED ANNUAL WITHDRAW te of Size and Weight folio of Casing (AL 800,000 315 To PERFORATIONS Kind From	10/15					
MATED ANNUAL WITHDRAW te of Size and Weight folic of Casing (AL 800,000 315 To PERFORATIONS Kind From	10/15					
AATED ANNUAL WITHDRAW te of Size and Weight tole of Casing (Feet)	AL 800,000 315 To PERFORATIONS Kind From	10/15					
AATED ANNUAL WITHDRAW te of Size and Weight tole of Casing / / / / / / / / / / / / / / / / / / /	AL 800,000 315 To PERFORATIONS Kind From (Feet)	To (Feet)					
AATED ANNUAL WITHDRAW te of Size and Weight tole of Casing (Feet)	AL	To (Feet)					
AATED ANNUAL WITHDRAW te of Size and Weight tole of Casing / / / / / / / / / / / / / / / / / / /	AL 800,000 315 To PERFORATIONS Wind From (Feet) Static water level Pumping water level	To (Feet)					
AATED ANNUAL WITHDRAW te of Size and Weight tole of Casing / / / / / / / / / / / / / / / / / / /	AL 800,000 311 To PERFORATIONS Wind From (Feet) Static water level Pumping water level at 32 gallons p	To (Feet)					
AATED ANNUAL WITHDRAW te of Size and Weight tole of Casing / / / / / / / / / / / / / / / / / / /	AL 800,000 315 To PERFORATIONS Wind From (Feet) Static water level Pumping water level	To (Feet)					
AATED ANNUAL WITHDRAW ie of Size and Weight of Casting (AL 800,000 3 11 (Peet) PERFORATIONS Kind Prom (Peet) Static water level Pumping water level at 300,000 3 111 Perforations gallons pomeasured 20 minutes after began.	(Feet)					
AATED ANNUAL WITHDRAW ie of Size and Weight of Casting (PERFORATIONS Comparison of the comparison of	ft.* er minute, r. pumping					
MATED ANNUAL WITHDRAW te of Size and weight of Casting (c') G' G' G' G' G' G' G'	AL 800,000 311 To PERFORATIONS White Perform (Feet) Static water level Pumping water level at	(Feet) (Feet) (ft.* ft.* er minute, r pumping vel.					
MATED ANNUAL WITHDRAW te of Size and weight of Casting (c') G' G' G'	AL 800,000 311 To PERFORATIONS Wind From (Feet) Static water level Pumping water level at	(Feet) (Feet) (ft.* ft.* er minute, r pumping vel.					
MATED ANNUAL WITHDRAW te of Size and weight of Casting (c') G' G' G'	PERFORATIONS To	ft.* er minute, r pumping					
MATED ANNUAL WITHDRAW te of Size and Weight of Casing (Feet) G	AL 800,000 311 To PERFORATIONS Wind From (Feet) Static water level Pumping water level at	ft.* er minute, r pumping					
NATED ANNUAL WITHDRAW te of Size and Weight of Casing (Feet) (""" "" "" "" "" "" "" "	PERFORATIONS Static water level Pumping water P	ft.* er minute, r pumping					
NATED ANNUAL WITHDRAW te of Size and Weight of Casing (Feet) (""" "" "" "" "" "" "" "	PERFORATIONS Static water level Pumping water P	ft.* er minute, r pumping					
NATED ANNUAL WITHDRAW te of Size and Weight of Casing (Feet) (""" "" "" "" "" "" "" "	PERFORATIONS Static water level Pumping water P	ft.* er minute, r pumping					
NATED ANNUAL WITHDRAW te of Size and wright of Castre (Static water level Pumping water level at gallons p measured 20 minutes afte began. *Measured from ground le Well developed by for hours. Power EMO Pump. Remarks: (Gravel packing, packers, type of shutoff)	(Feet) (Feet) (f.* fr.* er minute, r pumping vel. 7 HP cementing,					
NATED ANNUAL WITHDRAW te of Size and Weight of Castne (Coct)	Static water level Pumping water level at gallons p measured from ground le Well developed by for hours. Power EMA Pump. Remarks: (Gravel packing, packers, type of shutoff)	(Feet) (Feet) (f.* fr.* er minute, r pumping vel. 7 HP cementing,					
NATED ANNUAL WITHDRAW te of Size and wright of Castre (Static water level Pumping water level at gallons p measured from ground le Well developed by for hours. Power EMA Pump. Remarks: (Gravel packing, packers, type of shutoff)	(Feet) (Feet) (f.* fr.* er minute, r pumping vel. 7 HP cementing,					
NATED ANNUAL WITHDRAW te of Size and Withdraw with did of Casins ('	Static water level Pumping water level Pumping water level Pumping water level A gallons p measured 20 minutes afte began. *Measured from ground le Well developed by for hours. Power EMA Pump Remarks: (Gravel packing, packers, type of shutoff) E W LL AND PLACE OF USE, IF POSENTS 40 ACRES.	(Feet) (Feet) (f.* fr.* er minute, r pumping vel. 7 HP cementing,					
MATED ANNUAL WITHDRAW ise of Size and writing of Casins (feet)	Static water level Pumping water level Pumping water level Pumping water level A gallons p measured 20 minutes afte began. *Measured from ground le Well developed by for hours. Power EMA Pump Remarks: (Gravel packing, packers, type of shutoff) E W LL AND PLACE OF USE, IF POSENTS 40 ACRES.	(Feet) (Feet) (f.* fr.* er minute, r pumping vel. 7 HP cementing,					

LICENSE NO

STATE OF MONTANA | ss.
County of Yellowstone,
This assument was filed in my office

I was properly of 197

at 3 43 190

ALERRILL FOLLONDT

County Clark & Recorder

Ry Deputy

Form No. 18 8-60

8-00			·	14.4	
			County_	Yellowe	one
				[5]	ECEIVEM
	MONTAN	A BUREAU OF Butte, N	MINES AND G Contana	EOLOGY J	W ZI HA
			-	55 T.F. 18	TE ENGINEER
		Water We	ell Log	517	TE FRANKE.
	Owner_ Albe	ert F. Jelli	eon	Address 308) Garden Ave.
				Address	lings, Montana
	Date Start	-			ed 1931
<u> </u>	Location:	Sec.	r. 1 23 R3	sec.	Bana Lot 3
si Sejaga Selatan Sejaga Selatan Selatan				19 6 11 4 2 2	
Type of well_	(Dug, driven, or dril	led)	Equipment us	(Churn, dr	iriver
			·		gation
Water use:	Domestic	Municipal			
in the second	ndustrial	Drainage	Other	• • • • • • •	
Casing:	20 ft. to	20 ft.	Type How Vy	steel Size	2-inch
77 7.45	ft. to				Security of Automotive Control of the Control of th
No. of the second secon					the state of the s
	ft. to				
Perforated o	r screened: Ft	:to	ft	. Ft	_to_ft
Type of scre	en or perforati	ons spe of	pipe shot a	ff with pand	en in in
Static water	level, for nor	n-flowing we	11:12	to 14'	fee
Chut in nnoc	sure, for flow	ing well:	1b./	sq. in. on:	ing distinction of the second
Shut-in pres	sure, for from			_	(date)
Pumping wate	r level	6≋ e feet	at	gal. per	min.
	Rot.	tested			
How tested:_					
Length of te	st				
Remarks: (G	ravel packing,	cementing,	packers, ty	pe of shut-o	off, depth of
18781	shut-off)				
H	and pump on wel	1.			
		And the second s		na ngagabilangaa.	
					X **
	<u> </u>	 			

The state of the s			entered from the control of the cont	
Form No. 18 8-60		T: 1 sees	R. 28 Feet	
0-00		All the control of th)/Iowetone	
			DECEIVE	
	MONTANA BUREAU OF Butte, 1		M 21 7604	<u>"</u>
	Water Wo	ell Log	STATE ENGINE	AT.
	Owner Albert F. Jelli	하는 그렇게 되었다. 그 독일 없는 그리면 하지 않는	Rillings Mant	ena
	Driller	"我们","我们的这个"一样","我们还是我们的。"	· · · · · · · · · · · · · · · · · · ·	A C
\$1561 745 to 3 10 10 10 10 10 10 10 10 10 10 10 10 10	Date Started 1981			200
	Location: Sec. 11	r. 18 R. 968 1	sec. Line Lot 3	
		Faut mant wood	Plie delver	Lead of the Co
Type of well Dug,	Cives. or drilled)	Equipment useu (here, drill, rotary, other)	ADATA.
Water use: Dome	stic Municipal	Stock ***	- Irrigation	
Indust	rial Drainage	Other	e de la companya de l La companya de la co	Linker W.S.
Casing: 20	't. toft.	Type Heavy steel	_Size 9-inch	
Casing:	t. toft.	Туре	_Size	
	t. toft.			
mention and the contract of th	ceened: Ft. 80 to			200
T of screen of	perforations End of	pipe shot off will	n p owder	
culta weten lev	el, for non-flowing we	.11: 12 to 14'		Eeet.
	, for flowing well:			i diri
Shut-in pressure	, for flowing weil-		(date)	الله والماد الله الماد الله
Pumping water le	velfeet	atgal	. per min	
How tested:	Not tented	The control of the co		er en de de la companya de la compan
Length of test_	And the second s			
Remarks: (Grave	l packing, cementing,	packers, type of	shut-off, depth o	f
Telephone of production of the company of the compa	t-off) wap on well.			
				7.00 (1.00 (
	love		To provide the control of the contro	and the same of the

Log of Well

Depth	feet	Description of Material Drilled	
From	То		
1	6	Randy anti	And the state of t
6	20	Grevel	general see grant and the second seco
- P. Massail	80	Pedronk - blue shele	
A STATE OF THE STA	Annual Control of the		The second section of the secti
			A Company of the Comp
			The second secon
			The second secon
			And the second s
7 to 1990		The state of the s	
			The second secon
	_		
 	-	The second secon	
-			
-			
	## ## ## ## ## ## ## ## ## ## ## ## ##		
			<u>,</u>

Ó

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD

MONTANA WATER RESOURCES BOARD NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL Developed after January 1, 1962 Under Chapter 237 Means 1972 Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

Under Chapter			
		1	

form to be prepared by driller,	and three copies to be filed and Recorder in the county in	From (Feet)	(Feet)	1.1.122		
Te owner with the coomy	he retained by driller.					
e answer all questions. If not app	licable, so state, otherwise the					
may be refurned.		in the second second		Alexandra de la companya de la comp		
Lkrain & Locke,	For Administrator's Use	5.772		AND TOP OF THE PROPERTY.		1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -
ess JR Burne Visla				سر حد کی در ان اور ان		
endergroup with the control of the c	June 21, 1923			Series de la company		
Effinge Mixt			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	The second secon		
well started	GW 1 9:54 A.D.		1 22 CE		<u>esta e 11 m. 1945</u> Geografia e 11 <u>e 1</u> 1.0	ن المستقد غاد المستقد المستقد
completed 6.7.6				No.		
				548233		
of well	(Dug, driven; bored or drilled)	1 20	gr Cysbaru s Gregoria		100	
ipment_used///	(Churn drill, rotary or other)		1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	N.		
er Use: Domestic 🔲 Municipa	.□. Stock □. Irrigation □			10,0		
	Other □* Garden/Lawn Ø		#==		The second of th	
		and the second s	20 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	+>===	And the second s	
escribe It life used for irrigation, industri	al, drainage or other. Explain,			11233	The second secon	
state number of acres and locat	ion or other data (i.e. Lot, Block	20 mm a 10 mm	20 20 CAN	2 2 3 7 7 7	The second secon	
state number of acres and local and Addition). himble Sa	b Hmended OH-				The second secon	
and Addition, J.J.	HA			334 200	The Walls and the Committee of the	
TIMATED ANNUAL WITHDRAWAL	120,000 Hol		2	17	The state of the s	
TIMATED ANNUAL WITHDRAWAL	120,000 Stal			 \ 		
TIMATED ANNUAL WITHDRAWAL Size of Size and From T. Detilied Weight (Feet) (Feet)	O PERFORATIONS THE PROPERTY TO					
TIMATED ANNUAL WITHDRAWAL Size of Size and From Total Greet (Feet)	O PERFORATIONS THE PROPERTY TO					
TIMATED ANNUAL WITHDRAWAL Size of Size and From T. Detilied Weight (Feet) (Feet)	PERFORATIONS Kind (Fred (Feel (Feel					
Size of Size and From T. Size of Weight (Feet) (Feet)	PERFORATIONS Kind (Fred (Feel (Feel					
TIMATED ANNUAL WITHDRAWAL Size of Size and From Tobellied Weight (Feet) (Feet)	PERFORATIONS Kind (Fred (Feel (Feel					
Size of Size and From Thole of Casing	PERFORATIONS Kind (Fred (Feel (Feel					
Size of Size and From T. Size of Weight (Feet) (Feet)	PERFORATIONS Fine From Factor Factor					
Size of Size and From Tables of Caing To Caing T	Static water level	7				
Size of Size and Prom Total Hole of Casing CO	PERFORATIONS Fine From Factor Factor	ft.*				
TIMATED ANNUAL WITHDRAWAL Size of Size and From J Petited Weight (Fee) J J J J J J J J J J J J J J J J J J J	Stalic water level	ft.*				
TIMATED ANNUAL WITHDRAWAL Size of Size and From J Petited Weight (Fee) J J J J J J J J J J J J J J J J J J J	Static water level Pumping water level Jat	ft.*				
Size of Size and From 1 Prilied Weight (Fee) 07 Table of Casing 00	Static water level Pumping water level at gallons per mi measured aminutes after pum began. *Measured from ground level, Well developed by for hours. Power Pump	ft.s ft.s nute, nping				
Size of Size and From 1 Detiled Weight (Fee) 07 Thole of Caning 00	Static water level Pumping water level at	ft.s ft.s nute, nping				
Size of Size and From 1 Prilied Weight (Feet) 7 Thole of Casing 00	Static water level Pumping water level at gallons per mi measured aminutes after pum began. *Measured from ground level, Well developed by for hours. Power Pump	ft.s ft.s nute, nping				
Size of Size and From 1 Prilied Weight (Feet) 7 Thole of Casing 00	Static water level Pumping water level at	ft.s ft.s nute, nping				
TIMATED ANNUAL WITHDRAWAL Size of Size and From I Potiled Green Green I IIII OCCUPANTIAL OF THE IIII OCCUPANTIAL OCCUPANTI	Static water level Pumping water level at	ft.s ft.s nute, nping				
TIMATED ANNUAL WITHDRAWAL Size of Size and Prom I Drilled Of Casing 7 // A OO N N State of Size and Prom I (Feed) OF FACTOR OF SIZE T STATE OF SIZE T	Static water level Pumping water level at gallons per mi measured from ground level, Well developed by for hours. Power Pump. Remarks: (Gravel packing, ceme packers, type of shutoff) AND PLACE OF USE, IF POSSIBLE	ff.* ff.* nute, nping HP nting,				
Size of Size and Prom I (Feet)	Static water level Pumping water level at gallons per mi measured from ground level, Well developed by for hours. Power Pump. Remarks: (Gravel packing, ceme packers, type of shutoff) AND PLACE OF USE, IF POSSIBLE	ff.* ff.* nute, nping HP nting,				

DRILLER'S LOG

Indicate the character, color, thick-

(Elev. above sea level)


_ Show exact depth of bottom

DRILLER'S LOG

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

ADMINISTRATOR OF GROUNDWATER CODE MONTANA WATER RESOURCES BOARD	e e de la company	ness	DRILLER'S LOG the the character, color, thick- of strata such as soll, clay, sand,	La race and
NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL Developed after January 1, 1962	•	depth	 I, shale, sandstone, etc. Show at which water is found and to which water rises in well. 	
(Under Chapter 237 Montana Session Laws, 1961, as amended)	Top 0	f Groun	d (Elev, above sea level)	
his form to be prepared by driller, and three copies to be filed	From (Feet)	To (Feet)		
y the ewner with the County Clerk and Recorder in the county in hich the well is located; last copy to be retained by driller.	12.50%			
lease answer all questions. If not applicable, so state, otherwise the			Control of the Contro	THE STATE
			The second of th	
wner 40 5/100 Lo Colfe For Administrator's Use				
ddres:				
Elling Mant June 21, 1877	-		And the second s	American de la co
			Andrea (M. 1984). The Charles of Salar Tra-	
ate well started 12 7 GW 1 9.55 p.m.			A Section of the Control of the Cont	
completed				
pe of well				
(Dug, driven, bored or drilled)				
uipment Used (Chum drill, rotary or other)	Taring a			
ater Use: Domestic Municipal Stock Irrigation				
		y		
Industrial □ Drainage □ Other □* Garden/Lawn ☑				
Jescribe				
E: If used for Irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot; Block				T
and Addition). Kimble Sub Amended 6A-1	4	e province. Si paratiris.	A TOTAL CONTRACTOR OF THE SECOND	∤ *,:
				1
TIMATED ANNUAL WITHDRAWAL 120,000 Land		e financeso. Nacionalis		-
Size of Size and From To To PERFORATIONS Hole of Casing]
To Size (Feet) (Feet)	n anders Na Corent		1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	4
]
		1		1
	1 1 5 1 4	eletat 20 November		100
Static water level				
Pumping water levelft_				
atgallons per minute measured 22/minutes after pumpin				
began.	9	+		1
Measured from ground level, Well developed by		Ī		
forhours.	·			1
Power Pump H		Ţ		4
Remarks: (Gravel packing, cementing packers, type of shutoff)		1		1
			ريم روي ويون ويون ويون ويون ويون المال	.]
NW WE 14 Sec. 1/ T. N. R. 26 E				1
5	-			1
DICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE.				-
ACH SMALL SQUARE REPRESENTS 40 ACRES.		ļ		1
iller's Signature	<u> </u>	+		1
iller's Address				1
70 11 84 11 Marian 2 12		17	Show exact depth of bottom	1



GW22 Revised 1969 9 STATE OF MONTANA

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE MONTANA WATER RESOURCES BOARD NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL			DRILLER'S LOG Indicate the character, color, thick ness of strata such as soil, clay, sand gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well				
Developed after January 1, 1962. (Under Chapter 237 Montana Session Laws, 1961, as amended).		<u></u>					
This form to be prepared by driller, and three copies to be filed	1	Ground	(Elev. above sea level)				
by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.	From (Feet)	To (Feet)					
Please answer all questions. If not applicable, so state, otherwise the							
form may be returned.		ļ					
Owner for Administrator's Use							
Address File 93.1(2)	77.2-1	**************************************					
		22					
Lufffely Miles June 21. 1977		<u> </u>					
Date well started GW 1 9.5.5.72 27		 					
completed							
Type of well		<u> </u>					
(Dug, driven, bored or drilled)		1					
Equipment used		<u> </u>					
Water Use: Domestic Municipal Stock Irrigation		 -					
Industrial Drainage Other * Garden/Lawn		<u> </u>					
*Describe USE: If used for irrigation, industrial, drainage or other. Explain,							
and Addition). Keen ble Sub Amended left— ESTIMATED ANNUAL WITHDRAWAL 200 200 Size of Drilled Weight (Feet) (Feet) PERFORATIONS							
Hole of Casing (Feet)		1	N				
Kind From To		 					
-# 50 17 Kind From To (Feet)							
Klind From To (Feet) Size (Feet) S/75							
Kind From To (Feet) To							
Klind From To (Feet) 5/75 7/7 7/7 7/7 7/7 7/7 7/7 7							
Rind (From (Feet) (Feet) (Feet) (Feet)							
N Static water levelft.							
N Static water level	*						
Static water level ft. Pumping water level ft. Pumping water level ft. at gallons per minute measured Laminutes after pumping	,						
N Static water level freeth Pumping water level fit at gallons per minute measured minutes after pumping began.	,						
Static water level freeth (Feeth) N Static water level ft. Pumping water level ft. at gallons per minute measured from ground level. Well developed by	,						
Static water level free free free free free free free fr	9						
Static water level freeth (Feeth) Static water level freeth freeth freeth (Feeth) Static water level freeth free	g g						
Static water level (Feet) Pumping water level ft.	g g						
Static water level (Feet) Pumping water level ft.	g g						
Static water level freeth (Feeth) Static water level freeth freeth freeth (Feeth) Static water level freeth free	g g						
Static water level (Freet) (Fr	g g						
Static water level	g g						
Static water level (Freet) (Fr	g g						



STATE OF MONTANA. List.
County of Yollowstone.
This in 181 Miss Fled in the office.
This in 181 Miss Fled in the office.
This in 181 Miss Fled in the Office.

The Manual Miss of Resource.

The Manual Miss of Resource.

Description of Resource.

PLICATE	
	STATE OF MONTANA DECEIVED
	ADMINISTRATOR OF GROUNDWATER CODE JAN 2 1964
	OFFICE OF STATE ENGINEER
	ENGINEEN
	OFFICE OF STATE ENGINEER Declaration of Vested Groundwater Rights (Under Chapter 237, Montana Session Laws, 1961)
	(Under Chapter 237, Montana Session Laws, 1961)
alex Sher	20-vally of 7/9 Hall and Dellinge (Town)
Why Shep	(Town)
County of Attellar	ustone State of Montana 1962 as fol-
have appropriated grou	propriator) (Address) State of Minimum (Address) Mathematical (Address) Montana laws in effect prior to January 1, 1962, as fol-
lows:	
R 26 E	2. The beneficial use on which the claim is based
	laws insignition
	3. Date or approximate date of earliest beneficial use; and how con-
┃─┤╶┤╌┤ ╾ ┤╸┼	3. Date or approximate date of earliest some figure 1 g.c. /
	-1/5 through invationslason
	tinuous the use has been they are the second
	4. The amount of groundwater claimed (in the per minute) About 20 gal plu munute
1-+-171-1-1	5. If used for irrigation, give the acreage and description of the
1 1/1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	5. If used for irrigation, give the acreage and name of the owner lands to which water has been applied and name of the owner thereof faura fuels.
B	thereof Jan The gare
3-E 1/S W Sec. // T/	5 R.26 E about by acre Cley Shepovalog:
Indicate point of appro	priation
and place of use, II	possible. 0. The means of with
Each small square repre	sents 10 location of each well of other means
acres.	louted in issumediate area
	some of
	the construction of the well, wells, or other works for
7. The date of commen	ncement and completion of the construction of the well, wells, or other works for
withdrawal of groun	idwater
withdrawal of groun	idwater
withdrawal of groun 8. The depth of water t	table About 9 14
8. The depth of water t 9. So far as it may be a	table About I I available, the type, size and depth of each well or the general specifications of any
8. The depth of water t 9. So far as it may be a	table About I I available, the type, size and depth of each well or the general specifications of any
8. The depth of water t 9. So far as it may be a	table About 9 14
8. The depth of water t 9. So far as it may be a	table About I I available, the type, size and depth of each well or the general specifications of any
withdrawal of groun 8. The depth of water t 9. So far as it may be a other works for the	table About 9 It available, the type, size and depth of each well or the general specifications of any withdrawal of groundwater and point depth.
withdrawal of groun 8. The depth of water t 9. So far as it may be a other works for the	table Alaut 9 ft available, the type, size and depth of each well or the general specifications of any withdrawal of groundwater and fourth depth of groundwater withdrawn each year Alaut 150,000 gal.
withdrawal of groun 8. The depth of water t 9. So far as it may be a other works for the	table Alaut 9 ft available, the type, size and depth of each well or the general specifications of any withdrawal of groundwater and fourth depth of groundwater withdrawn each year Alaut 150,000 gal.
withdrawal of groun 8. The depth of water t 9. So far as it may be a other works for the	table Alaut 9 ft available, the type, size and depth of each well or the general specifications of any withdrawal of groundwater and fourth depth of groundwater withdrawn each year Alaut 150,000 gal.
withdrawal of groun 8. The depth of water t 9. So far as it may be a other works for the	table About I ft available, the type, size and depth of each well or the general specifications of any withdrawal of groundwater and fourth depth by per Casing 20 ft depth
withdrawal of groun 8. The depth of water t 9. So far as it may be a other works for the 2	table About I for a search well or the general specifications of any withdrawal of groundwater and for the point of groundwater and for depth and of groundwater withdrawn each year About 150,000 gal. ons encountered in the drilling of each well if available grane and shall
withdrawal of groun 8. The depth of water t 9. So far as it may be a other works for the	table Alaut I for said and depth of each well or the general specifications of any withdrawal of groundwater and for depth depth. Int of groundwater withdrawn each year Alaut 150,000 gal. ons encountered in the drilling of each well if available grant and shall
withdrawal of groun 8. The depth of water t 9. So far as it may be a other works for the	table Alaut I ft available, the type, size and depth of each well or the general specifications of any withdrawal of groundwater and fourth depth int of groundwater withdrawn each year Alaut 150,000 gal. ons encountered in the drilling of each well if available grant and shall
withdrawal of groun 8. The depth of water t 9. So far as it may be a other works for the	table Alaut I I I I I I I I I I I I I I I I I I I
withdrawal of groun 8. The depth of water t 9. So far as it may be a other works for the	table Alaut I I I I I I I I I I I I I I I I I I I
withdrawal of groun 8. The depth of water t 9. So far as it may be a other works for the 2	table Alaut I I I I I I I I I I I I I I I I I I I
withdrawal of groun 8. The depth of water t 9. So far as it may be a other works for the 2	table Alaut I for a similar nature as may be useful in carrying out the policy of this act, includok and page of any county record
withdrawal of groun 8. The depth of water t 9. So far as it may be a other works for the 2 constant of the c	table About I for a similar nature as may be useful in carrying out the policy of this act, includ- nok and page of any county record Signature of Owner Date Jacques Specifications of any withdrawal of groundwater withdrawn each year about 150,000 gal. Ons encountered in the drilling of each well if available grane and shall Signature of Owner Oley Shaporalay Date Dela 30,1963
withdrawal of groun 8. The depth of water t 9. So far as it may be a other works for the solution of the sol	table About I for a similar nature as may be useful in carrying out the policy of this act, includ- nok and page of any county record Signature of Owner Date I specifications of any withdrawal of groundwater withdrawn each year About 150,000 gal. Ons encountered in the drilling of each well if available grane and shall Signature of Owner Oley Sheporally Date Dela 30,1963
withdrawal of groun 8. The depth of water t 9. So far as it may be a other works for the 2	table About I for a similar nature as may be useful in carrying out the policy of this act, includ- nok and page of any county record Signature of Owner Date Jacques Specifications of any withdrawal of groundwater withdrawn each year about 150,000 gal. Ons encountered in the drilling of each well if available grane and shall Signature of Owner Oley Shaporalay Date Dela 30,1963
withdrawal of groun 8. The depth of water t 9. So far as it may be a other works for the 2	table Alaut I I I I I I I I I I I I I I I I I I I

STATE OF MONTANA?

County of Yellowstond S. A.

This instrument was the one of yellowstone this

at 2 / G color M

County of Yellowstone S. A.

Deputy

Tests about a tests and a design and

and almost and a second of the socialist

STATE OF MONTANAN
Gounty of Yellowstone; S. A.
This institutes was fine in 1971/1960 at this

A Colock M.

County of Colock M.

1882 TR 1844

estrangings to this the self of the self of the self of the series with a self of the self

Later british to attack to the collection of the

				3
		- 4	. 2 - 1	•
. 3		100		15
4				÷
	. 4	100		
-	19.7	9. 00		
7	47.6	1600	J7 .	÷
	٠,٠٠٠		?: . ~·	ø
5 %		17		
	63	and the second		3
•	قش			
٠.	****	5,00	W	٠,
se i	-	100		
	4.3	141		
		17.5	A 10	٥,
80.0		200	3.	1
	-77 · ·		777	٥,
		•	5	1
		1	32 7	
100			5.1	5
	-:-	ో ఉన్న		1
		- 1		
2.5	2.	10.1	1000	١,
. c.	* 3		10 de 10	
2.0		· 24	19	ľ
	V-11.			٠,
	1000		75	ú
	124	2.2	. to 18	
	ು	4.1	~7	
	-	-,47	'A.	٠,
		1.2	" learn	١.
				13
pa -				
***				19
	20.4	40.0	7.	2
٠.	. 67.		- 54	
-			-24	á
2	(ل)	· 63	4	Ź
8	ر دور	ر الرابع الرابع	4	1000
200			4	San San San
ACOURT	3		4	Parent Same
AUGH.	200		4	A Bread Ships
W HENRY	ながら		4	The Party See
W HOUR	はない。		4	The Part of the last
HIGH WA	STATES OF		A Little	Same Property
true done	STATE OF		母な特を	the same from the
alaw Mode	Call Age		今かけるとう	The same from the
minum distri	にはない。		母の時間を	the safe same from the
what welve	いの意味は		母のはなるのである	The other parties of the sales
mater alone	の記録を		今日時をつる	And the same from the same
i indaw dom	の経験は		A Library Con	The Assessment of the same
of indaw About	30 To State (1)		A THE SOUND STATE OF	The same of the same of the same
of indom Above	200 11 11 11 11 11 11 11 11 11 11 11 11 1		今日本のできる	the state of the state of the state of
of the later flow	NAME OF STREET		W. Martin State of	the state of the state of the state of
and water for	Min in stage		母は特別ないのは あみ	the same of the same of the same
the of instant stone	Little in stage.		今日本のでのは あかっ	The same of the same of the same of the same of
The State of the s	CONTRACT VICTOR		こうないが、なべかは、ころうれ、つれないでするのは思えから	Agency of the San
Male of indian about	CARACHA IN SECTION		今日寺をころは 名かれ	Charles of the Carlo State of the Control of the Co
the property of the state of th	CENTRAL IN SECTION		母記等事等 等級	the state of the same of the same of the same of
ALS THE STRONG MADE	DESERTING TO SERVICE		今日のできるのは あから	the state of the state of the state of the state of
All the of the same state	Constitution in statement	· 1000	今日本事者の前提 其分代 八	the same of the same of the same of the same of
estimated in the Mark	Constitution in statement		今日本のでは まかれ で	the state of the same of the same of the same of the same of
the age of the law alone	Leverhaling in stages	が はない はない	今日時間の前提出が代 で	the state of the s
THE REAL PROPERTY AND ADDRESS.	Level Editive in statistics	· 1000000000000000000000000000000000000	今日本では、日本のは、で	the state of
my sails for all industry Mode	Confidence in additional		全部を記録者が ごま	Control of the contro
more all for all indian distri	Care distance in an application	を見る はると	李子等等の治典 若分析 で	· · · · · · · · · · · · · · · · · · ·
Mary Sale of the sale of the sale	Constitution in antiques	を はない	今日 日本の日本 日本の日 こう	· · · · · · · · · · · · · · · · · · ·
ARCH WELD TO VALUE WASHINGTON	Company of water and	はまた はってい	今日本ではの前世 おかば、この	Control of the contro
And make the second indian time	Contract of weight of a	経験をはいるという	今日等を言うない 日本の	· · · · · · · · · · · · · · · · · · ·
Male was all for all the second that	Contract and Contract of the C	はまた スタイプ	今日寺事を記録 高がば で	· · · · · · · · · · · · · · · · · · ·
The state of the s	The state of the s	がないとうるが、八人をおりのははある。 はるという	今日本できるのは あから く	· · · · · · · · · · · · · · · · · · ·

G A		
G A		County Yellamstone
٧		r/-S R 26-E
File No	No	County yellowstone
DUPLI	LICATE	
	STATE OF MUNICIPALITY CODE	
	OFFICE OF STATE ENGINEER	CEIVEIII
	Dishe	N 2 1964
	Declaration of Vested Groundwater Right (Under Chapter 237, Montana Session Laws, 1961)	MEER
	(Under Chapter 231, Montana Bessiel 2018)	E ENGINEER
1	Oley Mapropriator), of 7/9 Malla (Address) (Name of Appropriator) State of M. and	(Town)
c	(Name of Appropriator) County of State of Montana laws in effect prinave appropriated groundwater according to the Montana laws in effect prinave appropriated groundwater according to the Montana laws in effect prinave appropriated groundwater according to the Montana laws in effect prinave appropriated groundwater according to the Montana laws in effect prinave appropriate according to the Montana laws in effect prinave appropriate according to the Montana laws in effect prinave according to the Montana laws	ior to January 1, 1962, as fol-
h li	lows:	and the second of the second o
. %	16 WS: $26E$ 2. The beneficial use on which the class	im is based
	The state of the s	
	3. Date or approximate date of earlied tinuous the use has been	Carrier Town
	1/5 Constant day	to day mas
w	E Constant day	www
V 1	4. The amount of groundwater claim per minute) Chant	2 gal per manute
L	per minute)	
]-	5. If used for irrigation, give the	acreage and description of the
<u>l</u>	5. If used for irrigation, give the lands to which water has been thereof	applied and name of the owner
		X 100
S.	5 E 14S W Sec.// T/-3 R.24-E	
т.	Indicate point of appropriation	water from the ground and the
a. E	Each small square represents 10 location of each well or other me	ans of withdrawar
a	acres. Pump with rung	usl
		The same of the sa
7	7. The date of commencement and completion of the construction of the	well, wells, or other works for
	withdrawal of groundwater	
\$		
	9. So far as it may be available, the type, size and depth of each well or t	ne general specifications of any
8.	o So far as it may be available, the type, she and we have	NA 1 1
	9. So far as it may be available, of groundwater	- death
	other works for the withful and paper basing 20 17	- aepin
	other works for the windstand pipe basing 20 47	aepin
	other works for the windstand pipe basing 20 47	aepin
9.	2 such pipe basing 26 4.7 10. The estimated amount of groundwater withdrawn each year Ala	ut 54,000 gal:
9.	10. The estimated amount of groundwater withdrawn each year	ut 54,000 gal:
9.	other works for the within the pipe basing 26 ft. 2 much pipe basing 26 ft. 10. The estimated amount of groundwater withdrawn each year About 11. The log of formations encountered in the drilling of each well if available Start gravel	ut 54,000 gal:
9. 10 11	10. The estimated amount of groundwater withdrawn each year Ala 11. The log of formations encountered in the drilling of each well if available	ut 54,000 gal:
9. 10 11	10. The estimated amount of groundwater withdrawn each year Ala 11. The log of formations encountered in the drilling of each well if available	ut 54,000 gal:
9. 10 11	10. The estimated amount of groundwater withdrawn each year Ala 11. The log of formations encountered in the drilling of each well if available	ut 54,000 gal:
9. 10 11	10. The estimated amount of groundwater withdrawn each year Ala 11. The log of formations encountered in the drilling of each well if available	ut 54,000 gal:
9. 10 11	10. The estimated amount of groundwater withdrawn each year Ala 11. The log of formations encountered in the drilling of each well if available	out the policy of this act, include
9. 10 11	10. The estimated amount of groundwater withdrawn each year About 11. The log of formations encountered in the drilling of each well if available	out the policy of this act, includ-
9.	other works for the withdrawn pipe basing 26 for 10. The estimated amount of groundwater withdrawn each year	out the policy of this act, includ- College Shepron Col
9.	other works for the winder pipe basing 26 for all of the estimated amount of groundwater withdrawn each year	out the policy of this act, included the foliage of the stephen of the county in which the well is
9.	other works for the withdrawn pipe basing 26 for 10. The estimated amount of groundwater withdrawn each year	out the policy of this act, includ- life Shipson Mey Shipson of the county in which the well is will be returned.

<u> 721709</u>

STATE OF MONTANA)
County of Yellowstone, SEPA
This instrument was filed in this
day to So'clock
Edward S. Redding,
County Clark & Recorder

> contain but their spines diete parte arientien do kaussie die lieur-field do brafit ingles de leer king de britain

GW 2 Revised 1969

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD

JUN 2 8 1973 price of strate such as soil, day, sand, gravel, shale, sandstone, etc. Show depth at which water is found and water rises in well.

NOTICE OF COMPLETION OF GROUNDWATEROLFAFTA E

(Undor Chapter 237 Montana Session Laws. 1961, as amended) This form to be prepared by driller, and three copies to be filed by the swams with the County Clerk and Recorder in the county in the county. Clerk and Recorder in the county in which the well is located, last copy to be retained by driller. Please answer all questions. If not applicable, so state, otherwise the form may be returned. Owner S.R. L. Stenzach For Administrator's Use Address 2. B. L. L. U. g. S. May J. S. G. D. G. L. L. L. G. S. L. L. U. g. S. May J. S. G. D. G. L. L. L. G. S. G. L. L. L. G. L. L. L. G. S. G. L. L. L. L. G. L. L. L. G. L.	om at which water is found and
which the well is located, lest copy to be retained by driller. Please answer all questions. If not applicable, so state, otherwise the form may be returned. Owner & St. L. Steward File Caraca File File Caraca File Carac	und (Elev. above sca level)
Address 21 Back 2 Dista File 737766 By Living May 5901 Completed 1994 Completed 1994 Completed 1994 Type of well Daily Park Down Stock Type of well Daily Park Describe Waler Use: Domestic Monicipal Stock Irrigation Distance or other Explain, state number of acres and location or other data (i.e. Lot Block and Addition). Lot 3 Block 2 Kimulahe Sub State Nanual WITHDRAWAL 2029, 220 gala State of Carlina Green Completed Carlon Carl	
Type of well	
Water Use: Domestic Municipal Stock Irrigation Industrial Drainage Other Garden/Lawn State *Describe USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition). Lot 3 Block 2 Kimble Subsection ESTIMATED ANNUAL WITHDRAWAL 2.2.0.0, 0.2.0. Quick Size of Size and From Too Ferrorations Size of Size and From Too Ferrorations The Pumping water level fit at gallons per minutes Machine Municipal Static water level fit at gallons per minute Machine Municipal Municipal Municipal Municipal Wheasured Municipal Municipal Municipal Municipal *Measured Municipal Municipal Municipal Municipal *Measured from ground level Well developed by More Municipal *Measured from ground level Well developed by More Municipal *Measured from ground level Well developed by More Municipal *Measured from ground level Well developed by Municipal *Measured from ground level Well developed by Municipal *Measured from ground level Municipal Municipal Municipal *Measured from ground level Munic	
Static water level fit.* Static water level fit.* Pumping water level fit.* Well developed by for hours. Power 2.2. Pump HP Remarks: (Gravel packing, cementing, packers, type of shutoff)	
state number of acres and location or other data (i.e., Lot, Block and Addition). Lot 3 Block 2 Kimple Sub ESTIMATED ANNUAL WITHDRAWAL 2 CO. 9, C.O.D. gala Size of Weight (Fee) To PERFORATIONS. Note of Casing (Fee) PERFORATIONS. Size (Fee) To PERFORATIONS. Size (Fee) To PERFORATIONS. Note of Casing From To (Fee) Perform To (Fee) (Fee) O in the pumping water level the pumping began. *Measured minutes after pumping began. *Measured from ground level. Well developed by for hours. Power 2 2 D Pump HP Remarks: (Gravel packing, cementing, packers, type of shutoff)	
Static water level ft.* Pumping water level ft.* at gallons per minute, measured minutes after pumping began. *Measured from ground level. Well developed by for hours. Power 2 2 Pump HP Remarks: (Gravel packing, cementing, packers, type of shutoff)	
Static water levelft.* Pumping water levelft.* atgallons per minute, measuredminutes after pumping began. *Measured from ground level. Well developed by forhours. Power 2.2. DeumpHP Remarks: (Gravel packing, cementing, packers, type of shutoff)	
NAVA NEW Sec. 11 T. A. R. D. Ca. E. S. W.	
INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. EACH SMALL SQUARE REPRESENTS 40 ACRES.	

Show exact depth of bottom

STATE OF MONTANA.

Construct Vallowstore:

Elis Lot 1 1913 as the

Sil 2 2 2 1913

Bt 2 2 2 1913

NEW Clore 3

ottom

07

RECEIVED

STATE PUBLISHING COMPANY

JUN 28 1973

3 GW 2 Revised 1969	JUN 28	1075		County.	Jelekka.		
A 1, M 15 195 TO 10 1056 W. M	MO' TANA DEDARM	13/3		DRIK	ER'S LOC	}	
STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER C MONTANA WATER RESOURCES BOAI	MO TANA DEPARTMEN CODE: OURCES AND CO	IT CF NATI NSËRVATIO	Indicate	the ch	aracter, ch as soil	color, , clay,	thick- sand,
APPROPRIATION BY MEANS OF	ADAMHEK	d		gravel, shale, sandstone, etc., depth at which water is found height to which water rises in			
Developed after January 1, 1962							
(Under Chapter 237 Montana Session Laws, 1961	, as amended)	Top of	Ground		(Elev. above	sea leve	0
This form to be prepared by driller, and three co by the owner with the County Clerk and Recorder	pies to be filed	From (Feet)	To (Feet)			r 18 j. yu. 1 <u>1 -</u> 18 j.	
which the well is located, last copy to be retained	by driller.	1				145	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
					tai and the	9	Tar Salar in the

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller. Please answer all questions. If not a splicable, so state, otherwise the	From (Feet)	To (Feet)	
form may be returned.			
Owner Lease Stanger For Administrator's Use		VI.	The second secon
Address J. Bulna Vista File 737.767		19	C.,.,
Billings Montilua June 24, 1973		1	
Date well started 1934 GW1 1235			
교회에 등입합하는 현재 이 선생님에 가는 것이 되었다. 그는 전 학자는 그 학생들은 사람들이 되었다면 하는 것이 되었다. 그는			
completed 7.7.09			
completed 1934 Type of well Suissus, 16ful Just (Dug driven, bored of drilled)			
Equipment used Sand pand (Churn drill, rotary or other)			Control Contro
Water Use: Domestic □ Municipal □ Stock □ Irrigation □			La Control of the Con
Industriäl 🗍 Drainage 📋 Other. 🗎 * Garden/Lawn 🕱			
*Describe			
USE: If used for irrigation, industrial, drainage or other. Explain,			
and Addition). Kimble Sal, 5.A.		F 135 45500 200	The state of the s
ESTIMATED ANNUAL WINDRAWAL 2: 120,000 Gel		of Little and sur-	Management of the Control of the Con
·		e domanii 1863	Street was the control of the street of the
Size of Size and From To. Drillied Weight (Feet) (Feet) FERFORATIONS Hole of Casing Kind From T 3 (1 3 (1 5 (1 6 Feet) (Feet) (Feet) (Feet)	o et)		
, N	£6. *		
Static water level	ft.*		
at	nping		
measured from ground level. Well developed by			
Well developed byhours.			
Power_Cleer rump			
Remarks: (Gravel packing, ceme packers, type of shutoff)	9,		
VIII NEV Sec. 11			
T			
INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE EACH SMALL SQUARE REPRESENTS 40 ACRES.			
Driller's Signature			
Driller's Address		16 1	Show exact depth of bottom